CARDIOVASCULAR RESEARCH

EDITOR

JOHN SHILLINGFORD

DEPUTY EDITOR

R. J. LINDEN

LEON ABRAMS
Sir W. MELVILLE ARNOTT
H. H. BENTALL
D. H. BERGEL
C. CARO
C. T. DOLLERY
KENNETH DONALD
IVOR GABE
A. D. M. GREENFIELD
PETER HARRIS
A. LEATHAM
G. DE J. LEE
D. MELROSE
C. MILLS
J. R. A. MITCHELL
MICHAEL OLIVER
L. H. OPIE
A. PEARSE
G. E. SOWTON
M. THOMAS

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANITA HESS

VOLUME 8, 1974

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE W.C.1

CONTENTS

No. 1. JANUARY, 1974

Myocardial and coronary vascular effects of salbutamol: Gordon Ross . . . 1

Influence of hyperosmolar agents on hypoxic cat papillary muscle function: James T. Willerson, Myron L. Weisfeldt, Charles A. Sanders, and W. John Powell, Jr. . 8

Factors influencing the ejection fraction and the mean rate of circumferential fibre shortening during atrial fibrillation in man: Joel S. Karliner, James H. Gault, Richard J. Bouchard, and John Holzer 18

Ventricular function following experimental coronary artery bypass grafting: the relationship of functional improvement to haemodynamics in the graft: Franklin L. Rosenfeldt, Carl C. Gill, Andrew S. Wechsler, and David C. Sabiston, Jr. . . 26

Dipole ranging in isolated rabbit hearts before and after right bundle branch block: Daniel A. Brody, John W. Cox, Jr., Francis W. Keller, and James R. Wennemark 37

Selective effects of pentobarbital on automaticity and conduction in the intact canine heart: Ferdinand Urthaler, Barbara L. Krames, and Thomas N. James . . 46

Extensibility of the human carotid sinus: Max Winson, Donald Heath, and Paul Smith 58

Vertebral and carotid blood distribution in the brain of the dog and the cat: R. S. Reneman, D. Wellens, A. H. M. Jageneau, and L. Stynen 65

Effect of inhibition of lipolysis on heart failure following acute coronary occlusion in the dog: J. K. Kjekshus 73

Equations for the determination of major regional blood flow in the mammalian fetus with radioactive microspheres: Joseph P. Archie, Jr. 81

DNA content and DNA synthesis in the myocardium of rats after induced renal hypertension: H. Kuhn, P. Pfitzer, and K. Stoepel 86

Pattern of differential vasoconstriction in response to acute and chronic low-output states in the conscious dog: Charles B. Higgins, Stephen F. Vatner, Dean Franklin, and Eugene Braunwald 92

Phosphate-induced hypocalcaemia and experimental digitalis intoxication: A. Abitbol, C. D. Abate, A. Arias, L. Cusimano, and C. Guzzo 99

Temporal changes in canine right ventricular volume, mass, cell size, and sarcomere length after banding the pulmonary artery: Michael M. Laks, Fred Morady, Daniel Garner, and H. J. C. Swan 106

A modified double dye injection method for pulmonary blood volume determination. I. Validation in dogs: A. Lockhart, J. M. Vallois, J. Mensch-Dechene, J. Polianski, M. Zelter, and L. S 112

A modified double dye injection method for pulmonary blood volume determination. II. Results in resting and exercising normal subjects: A. Lockhart, P. Duhaze, J. Polianski, D. Weill, and J. Mensch-Dechene 120

Instruments and techniques

A new type of electrode for continuous recording of monophasic action potentials from the heart *in situ*: L. Szekeres and J. Szurgent 132

Comparison of the performance of the Frank lead placement system and the McFee-Parungao lead placement system in normal infants with QRS spatial curve analysis: Lorin E. Ainger and Philip R. Dixon 138

Transplantation of the mouse heart—a useful research model: D. W. Jirsch, N. Kraft, and E. Diener 145

Movement artefact suppressor during ECG monitoring: J. A. J. Klijn and M. J. G. M. Kloprogge 149

No. 2. MARCH, 1974

Sympathetic and parasympathetic components of reflex tachycardia induced by hypotension in conscious dogs with and without heart failure: Stephen F. Vatner, Charles B. Higgins, and Eugene Braunwald. 153

Influence of caffeine on force development and force-frequency relations in cat and rat heart muscle: A. H. Henderson, D. L. Brutsaert, R. Forman, and E. H. Sonnenblick 162

Electrophysiological and mathematical characteristics of the escape rhythm during complete AV block: Ferdinand Urthaler, Charles R. Katholi, Josiah Macy, Jr., and Thomas N. James 173

Normal thoracic surface potentials: B. D. Young, P. W. Macfarlane, and T. D. V. Lawrie 187

Transport of ^{14}C-4-cholesterol between perfusing serum and dog common carotid artery: a shear dependent process: C. G. Caro 194

Changes in blood flow and oxygen consumption in normal and ischaemic regions of the myocardium following acute coronary artery ligation: R. J. Marshall, J. R. Parratt, and I. McA. Ledingham 204

Effects of acetaldehyde on the systemic, pulmonary, and regional circulations: Robert B. McCloy, Jr, Arthur V. Prancan, and Jiro Nakano 216

Biochemical basis of heart function. XII. Sodium-potassium stimulated adenosine triphosphatase activity in the perfused rat heart made to fail by substrate-lack: N. S. Dhalla, J. N. Singh, M. Fedelesova, V. Balasubramanian, and D. B. McNamara. 227

Activity of endogenous myocardial lipases during incubation at acid pH: William B. Weglicki, Kenneth Owens, Robin C. Ruth, and Edmund H. Sonnenblick . . 237

Interaction of phentolamine and noradrenaline on myocardial contractility and adenyl cyclase activity: Babeth Rabinowitz, William W. Parmley, George Bonnoris, Leonard Chuck, and Miriam Kligerman 243

Haemodynamic effects of beta blockade in hypertrophic cardiomyopathy using Sectral (acebutolol; M & B 17803A): B. S. Lewis, A. S. Mitha, A. Bakst, K. Purdon, and M. S. Gotsman 249

Blood flow of working muscles during autonomic blockade of the heart: Ivar Nordenfeldt 263

Circulatory changes following adrenalectomy in the rat: F. J. Imms and R. L. B. Neame 268

Role of the spleen in the peripheral vascular response to severe exercise in untethered dogs: Stephen F. Vatner, Charles B. Higgins, Ronald W. Millard, and Dean Franklin 276

Instruments and techniques

Measurement of internal left ventricular diameter by a tracking sonomicrometer: Edward B. Stinson, Glenn Rahmoeller, and Paul L. Tecklenberg 283

A comparatively inexpensive implantable miniature pressure transducer: G. C. van den Bos, J. Dolfing, F. Nassenstein, B. Heerooms, R. Buitenweg, W. Engel, and F. K. Dijkema 290

List of Journal Referees 296

No. 3. MAY, 1974

Factors influencing indices of left ventricle contractility in the conscious dog: Dennis M. Davidson, James W. Covell, Christopher I. Malloch, and John Ross, Jr. . . 299

Evaluation of canine left ventricular contractility: George Benzing, III, James Stockert, Edwin Nave, Y. G. Tsuei, and Samuel Kaplan 313

A qualitative analysis of pulmonary hypertension: a role for accelerative forces: Walter H. Herbert and Edward Yellin 323

Pulsatile flow in pulmonary artery, capillary, and vein in the dog: Warren G. Guntheroth, Richard Gould, John Butler, and Edwin Kinnen 330

Turbulent blood flow and the effects of erythrocytes: William A. Munter and Paul D. Stein 338

Relation between the minimum RR interval during atrial fibrillation and the functional refractory period of the AV junction: Jacques Billette, Réginald A. Nadeau, and Fernand Roberge 347

Influence of progesterone on membrane potential and peak tension of myocardial fibres: J. Mendoza and W. C. De Mello 352

The effect of haemodynamic changes on maximum blood flow acceleration at the aortic root in the anaesthetized, open-chest dog: D. C. W. Chung, J. H. Chamberlain, and R. G. F. L. Seed 362

Physiological studies in arteriomegaly: K. G. Callum, Judith I. Gaunt, M. Lea Thomas, and N. L. Browse 373

Elasticity of human aortic valve cusps: J. E. C. Wright and Y. L. Ng 384

The use of the basic fuchsin stain in the recognition of early myocardial ischaemia: A. Nayar and E. G. J. Olsen 391

Autoregulatory escape and post-escape hyperaemia in a capillaron model: Yutaka Kikuchi and Simon Rodbard 395

Effect of intra-aortic balloon counterpulsation in experimental myocardial injury following acute coronary occlusion. Biochemical, ultrastructural, and physiological aspects: K. Šiška, A. Ziegelhöffer, M. Fedelešová, V. Holec, J. Slezák, J. Styk, D. Pancza, and I. Gabauer. 404

Total and regional coronary blood flow during acute coronary occlusion in anaesthetized and conscious dogs: Raúl J. Domenech 415

Adrenergic mechanisms in canine hindlimb circulation: James M. Brungardt, Kenneth G. Swan, and David G. Reynolds 423

Instruments and techniques

A practical method for removing catheter distortions from indicator-dilution curves: Kenneth H. Norwich, Christopher Pinto, John E. Morch, and Samuel Zelin . . 430

A chronically implanted cuff for occlusion of dog's pulmonary artery during exercise: R. G. S. Platts and P. Wilson 439

No. 4. JULY, 1974

Effects of temperature change and adrenaline on sinoatrial and atrioventricular nodal potentials: Shirley E. Freeman and R. J. Turner 443

Phase-plane trajectories of atrial cell action potentials: effects of temperature reduction: Shirley E. Freeman and R. J. Turner 451

Progressive electrocardiographic changes in male and female arteriosclerotic and non-arteriosclerotic rats during the course of isoproterenol-induced myocardial infarction: B. C. Wexler, D. Willen, and B. P. Greenberg 460

ST segment deviation and regional myocardial blood flow during experimental partial coronary artery occlusion: G. Timogiannakis, I. Amende, E. Martinez, and M. Thomas 469

Distribution of myocardial blood flow before and after coronary artery ligation in the baboon. Relation to early ventricular fibrillation: W. F. Lubbe, M. Peisach, R. Pretorius, K. J. J. Bruyneel, and L. H. Opie 478

Comparative studies on central factors contributing to the hypotensive action of propranolol, alprenolol, and their enantiomers: L. Offerhaus and P. A. van Zwieten . 488

Interaction of systemic and local vascular regulation of the intestinal circulation during systemic infusion of norepinephrine: Daniel R. Richardson 496

Estimation of stroke volume from the pulmonary artery pressure record: A. A. Zacharoulis, C. J. Mills, I. T. Gabe, and J. P. Shillingford. 506

Mixing action and mitral inflow patterns in an isolated ventricle hydraulically operated: R. A. Lloyd and D. A. McDonald 517

A comparison of thermodilution coronary sinus blood flows and krypton myocardial blood flows in the intact dog: Allen B. Weisse and Timothy J. Regan. . . . 526

Left ventricular volume as a determinant of myocardial oxygen consumption: J. Simaan 534

Propranolol-induced inhibition of cardiac microsomal calcium-uptake, calcium-binding, and epinephrine-stimulated adenylate cyclase: Arnold M. Katz, Doris I. Repke, Michihiko Tada, and Susan Corkedale 541

Anti-arrhythmic and serum free fatty acid lowering effects of 5-fluoro-nicotinyl alcohol following experimentally induced myocardial infarction in the dog: Emil R. Smith and Benjamin R. Duce 550

Instruments and techniques

An hydraulically actuated isolated ventricle: R. A. Lloyd and E. M. Wilson . . 562

A thermistor probe for measurement of blood temperature and cardiac output in small animals: David J. Warren 566

Measurement of cardiac output distribution using microspheres. Some practical and theoretical considerations: David J. Warren and John G. G. Ledingham . . 570

No. 5. SEPTEMBER, 1974

Left ventricular relaxation and diastolic stiffness in experimental myocardial infarction: D. Mathey, W. Bleifeld, and G. Franken 583

Mechanical performance of the left ventricle at early stages of experimental ischaemia. Mechanism of shortening of ejection period: Bohdan Lewartowski, and Grzegorz Sędek 593

Ventricular vulnerability during sympathetic stimulation: role of heart rate and blood pressure: Richard Verrier, Peter Thompson, and Bernard Lown 602

Total and regional coronary blood flow during acute right ventricular pressure overload Raúl J. Domenech, and Antonio H. Ayuy 611

Coronary collateral flow following acute coronary occlusion: a diastolic phenomenon: B. Greg Brown, Walter D. Gundel, Vincent L. Gott, and James W. Covell . . 621

A quantitative definition of ventricular asynergy: Neil B. Ingels, Jr. and George T. Daughters, II 632

Changes in fibrillation threshold of the heart produced by a beta-sympatholytic agent (practolol), before and after experimental coronary ligation: G. Schley, W. Meesmann, A. Wilde, and U. Wild 640

Effects of selective vagal and stellate ganglion stimulation on atrial refractoriness: Douglas P. Zipes, Michael J. Mihalick, and Gordon T. Robbins 647

The effect of metabolic substrate on mechanical activity and heat production in papillary muscle: J. Brian Chapman and Colin L. Gibbs 656

The *in-vitro* and *in-vivo* effects of polyamines on cardiac protein biosynthesis: Keith Gibson and Peter Harris 668

Optimal frequency of carotid sinus nerve stimulation in treatment of angina pectoris: Cornelius Borst, John M. Karemaker, Lennart N. Bouman, Ad J. Dunning, and Francien J. G. Schopman 674

Effect of blockade of angiotensin-I converting enzyme on the blood pressure of renal hypertensive rabbits: J. Carlos Romero, Sai Wah Mak, and S. W. Hoobler . . . 681

A Fourier technique for simultaneous electrocardiographic surface mapping: D. M. Monro, R. A. L. Guardo, P. J. Bourdillon, and J. Tinker 688

Myocardial digoxin uptake in pressure overload right ventricular hypertrophy: Barry E. Hopkins, Brian L. Lloyd, and Roger R. Taylor 701

Instruments and techniques

***In-vivo* estimation of left ventricular mass: a double indicator technique using a single sensing catheter:** Donald W. Crawford and Robert Barndt, Jr. 707

Sextapolar catheter electrode for temporary sequential atrioventricular pacing: Agustin Castellanos, Barouh V. Berkovits, Cesar A. Castillo, and Benjamin Befeler 712

No. 6. NOVEMBER, 1974

Incorporation of ^{131}I-fibrinogen in a coronary artery thrombus, detected *in vivo* with a scintillation camera: Christos B. Moschos, Henry A. Oldewurtel, Kamalesh Lahiri, Gisbert Manskopf, and Timothy J. Regan 715

Thyronamine, a new inotropic agent: its cardiovascular effects and mechanism of action: Pierre Côté, Ralph A. Polumbo, and Donald C. Harrison 721

The intramural ganglia and chromaffin cells in guinea pig atria: an ultrastructural study: R. Malor, S. Taylor, G. B. Chesher, and C. J. Griffin 731

The genetic factor influencing pulmonary hypertension in cattle at high altitude: E. K. Weir, A. Tucker, J. T. Reeves, D. H. Will, and R. F. Grover 745

Effects of prostaglandin E_1 and 15-methyl-prostaglandin E_1 on the cardiovascular responses to bilateral carotid arterial occlusion: Jiro Nakano and Robert B. McCloy, Jr. 750

Regional blood flow and vascular resistance in the spontaneously hypertensive rat: Alfonso J. Tobia, Jang Y. Lee and Gerald M. Walsh 758

Myocardial oxygen consumption in isovolumic hearts with varying cardiac ouputs: J. Simaan and G. Fawaz 763

Ventricular fibrillation thresholds in the presence of leakage currents: J. R. Ledsome, P. Graystone, J. Coppin, and T. Leung 769

Extraordinary potentiation of isoproterenol cardiotoxicity by corticoid pretreatment: Giancarlo Guideri, Michael A. Barletta, and David Lehr 775

Effects of intracoronary temperature variation on the coronary circulation: A. James Liedtke and Howard C. Hughes 787

Spectral analysis as a method of quantitative interpretation of Doppler-shift signals: L. W. Hall and K. W. Clarke 796

A simplified method for producing rapid ventricular hypertrophy in rats: A. B. Malik, J. M. Shapiro, J. Yanics, A. Rojales, and A. S. Geha 801

The effect of central serotonin depletion in DOCA-saline hypertension in the rat: M. G. Myers, J. L. Reid, and P. J. Lewis 806

Instruments and techniques

Recording of heart movements from the oesophagus: R. Vas, C. D. Thursfield, E. T. MacKenzie, D. C. Kennie, and A. B. Houston 811

A device for analysing blood flow records: Roger J. Crossley 816

The magnetocardiogram in cardiac disorders: M. Saarinen, P. J. Karp, T. E. Katila, and P. Siltanen 820

AUTHOR INDEX

1974, Volume 8

A

ABATE, C. D. *See* ABITBOL, A., *et al*, 99

ABITBOL, A., ABATE, C. D., ARIAS, A., CUSIMANO, L., and GUZZO, C. Phosphate-induced hypocalcaemia and experimental digitalis intoxication, 99

AINGER, Lorin E., and DIXON, Philip R. Comparison of the performance of the Frank lead placement system and the McFee-Parungao lead placement system in normal infants with QRS spatial curve analysis, 138

AMENDE, I. *See* TIMOGIANNAKIS, G., *et al*, 469

ARCHIE, Joseph P., Jr. Equations for determination of major regional blood flow in the mammalian fetus with radioactive microspheres, 81

ARIAS, A. *See* ABITBOL, A., *et al*, 99

AYUY, Antonio H. *See* DOMENECH, Raúl, J., *et al*, 611

B

BAKST, A. *See* LEWIS, B. S., *et al*, 249

BALASUBRAMANIAN, V. *See* DHALLA, N. S., *et al*, 227

BARLETTA, Michael A. *See* GUIDERI, Giancarlo, *et al*, 775

BARNDT, Robert, Jr. *See* CRAWFORD, Donald W., *et al*, 707

BEFELER, Benjamin. *See* CASTELLANOS, Agustin, *et al*, 712

BENZING, George, III, STOCKERT, James, NAVE, Edwin, TSUEI, Y. G., and KAPLAN, Samuel. Evaluation of canine left ventricular contractility, 313

BERKOVITS, Barouh V. *See* CASTELLANOS, Agustin, *et al*, 712

BILLETTE, Jacques, NADEAU, Réginald A., and ROBERGE, Fernand. Relation between the minimum RR interval during atrial fibrillation and the functional refractory period of the AV junction, 347

BLEIFELD, W. *See* MATHEY, D., *et al*, 583

BONNORIS, George. *See* RABINOWITZ, Babeth, *et al*, 243

BORST, Cornelius, KAREMAKER, John M., BOUMAN, Lennart N., DUNNING, Ad J., and SCHOPMAN, Francien J. G. Optimal frequency of carotid sinus nerve stimulation in treatment of angina pectoris, 674

BOUCHARD, Richard J. *See* KARLINER, Joel S., *et al*, 18

BOUMAN, Lennart N. *See* BORST, Cornelius, *et al*, 674

BOURDILLON, P. J. *See* MONRO, D. M., *et al*, 688

BRAUNWALD, Eugene. *See* HIGGINS, Charles B., *et al*, 92

BRAUNWALD, Eugene. *See* VATNER, Stephen F., *et al*, 153

BREAZEALE, Donald. *See* GUNTHEROTH, Warren G., *et al*, 330

BRODY, Daniel A., COX, John W., Jr, KELLER, Francis W., and WENNEMARK, James R. Dipole ranging in isolated rabbit hearts before and after right bundle branch block, 37

BROWSE, N. L. *See* CALLUM, K. G., *et al*, 373

BRUNGARDT, James M., SWAN, Kenneth G., and REYNOLDS, David G. Adrenergic mechanisms in canine hindlimb circulation, 423

BRUTSAERT, D. L. *See* HENDERSON, A. H., *et al*, 162

BRUYNEEL, K. J. J. *See* LUBBE, W. F., *et al*, 478

BUITENWEG, R. *See* VAN DEN BOS, G. C., *et al*, 290

BURROWS, Peter. *See* HOPKINS, Barry E., *et al*, 701

BUTLER, John. *See* GUNTHEROTH, Warren G., *et al*, 330

C

CALLUM, K. G., GAUNT, Judith I., LEA THOMAS, M., and BROWSE, N. L. Physiological studies in arteriomegaly, 373

CARO, C. G. Transport of ^{14}C-4-cholesterol between perfusing serum and dog common carotid artery: a shear dependent process, 194

CASTELLANOS, Agustin, BERKOVITS, Barouh V., CASTILLO, Cesar A., and BEFELER, Benjamin. Sextapolar catheter electrode for temporary sequential atrioventricular pacing, 712

CASTILLO, Cesar A. *See* CASTELLANOS, Agustin, *et al*, 712

CHAMBERLAIN, J. H. *See* CHUNG, D. C. W., *et al*, 362

CHAPMAN, J. Brian, and GIBBS, Colin L. The effect of metabolic substrate on mechanical activity and heat production in papillary muscle, 656

CHESHER, G. B. *See* MALOR, R., *et al*, 731

CHUCK, Leonard. *See* RABINOWITZ, Babeth, *et al*, 243

CHUNG, D. C. W., CHAMBERLAIN, J. H., and SEED, R. G. F. L. The effect of haemodynamic changes on maximum blood flow acceleration at the aortic root in the anaesthetized, open-chest dog, 362

CLARKE, K. W. *See* HALL, L. W., *et al*, 796

COPPIN, J. *See* LEDSOME, J. R., *et al*, 769

CORKEDALE, Susan. *See* KATZ, Arnold M., *et al*, 541

CÔTÉ, Pierre, POLUMBO, Ralph A., and HARRISON, Donald C. Thyronamine, a new inotropic agent; its cardiovascular effects and mechanism of action, 721

COVELL, James W. *See* DAVIDSON, Dennis M., *et al*, 299

COVELL, James W. *See* GREG BROWN, B., *et al*, 621

COX, John W., Jr. *See* BRODY, Daniel A., *et al*, 37

CRAWFORD, Donald W., and BARNDT, Robert, Jr. *In-vivo* estimation of left ventricular mass: a double indicator technique using a single sensing catheter, 707

CROSSLEY, Roger J. A device for analysing blood flow records, 816

CUSIMANO, L. *See* ABITBOL, A., *et al*, 99

D

DAUGHTERS, George T., II. *See* INGELS, Neil B., Jr, *et al*, 632

DAVIDSON, Dennis M., COVELL, James W., MALLOCH, Christopher I., and ROSS, John, Jr. Factors influencing indices of left ventricle contractility in the conscious dog, 299

DE MELLO, W. C. *See* MENDOZA, J., *et al*, 352

DHALLA, N. S., SINGH, J. N., FEDELESOVA, M., BALASUBRAMANIAN, V., and MCNAMARA, D. B. Biochemical basis of heart function. XII. Sodium-potassium stimulated adenosine triphosphatase activity in the perfused rat heart made to fail by substrate-lack, 227

DIENER, E. *See* JIRSCH, D. W., *et al*, 145

DIJKEMA, F. K. *See* VAN DEN BOS, G. C., *et al*, 290

DIXON, Philip R. *See* AINGER, Lorin E., *et al*, 138

DOLFING, J. *See* VAN DEN BOS, G. C., *et al*, 290

DOMENECH, Raúl, J. Total and regional coronary blood flow during acute coronary occlusion in anaesthetized and conscious dogs, 415

DOMENECH, Raúl J., and AYUY, Antonio H. Total and regional coronary blood flow during acute right ventricular pressure overload, 611

DUCE, Benjamin R. *See* SMITH, Emil R., *et al*, 550

DUHAZE, P. *See* LOCKHART, A., *et al*, 120

DUNNING, Ad J. *See* BORST, Cornelius, *et al*, 674

E

ENGEL, W. *See* VAN DEN BOS, G. C., *et al*, 290

F

FAWAZ, G. *See* SIMAAN, J., *et al*, 763
FEDELESOVA, M. *See* DHALLA, N. S., *et al*, 227
FEDELEŠOVÁ, M. *See* ŠIŠKA, K., *et al*, 404
FORMAN, R. *See* HENDERSON, A. H., *et al*, 162
FRANKEN, G. *See* MATHEY, D., *et al*, 583
FRANKLIN, Dean. *See* HIGGINS, Charles B., *et al*, 92
FRANKLIN, Dean. *See* VATNER, Stephen F., *et al*, 276
FREEMAN, Shirley E., and TURNER, R. J. Effects of temperature change and adrenaline on sinoatrial and atrioventricular nodal potentials, 443
FREEMAN, Shirley E., and TURNER, R. J. Phase-plane trajectories of atrial cell action potentials: effects of temperature reduction, 451

G

GABAUER, I. *See* ŠIŠKA, K., *et al*, 404
GABE, I. T. *See* ZACHAROULIS, A. A., *et al*, 506
GARNER, Daniel. *See* LAKS, Michael M., *et al*, 106
GAULT, James H. *See* KARLINER, Joel S., *et al*, 18
GAUNT, Judith I. *See* CALLUM, K. G., *et al*, 373
GEHA, A. S. *See* MALIK, A. B., *et al*, 801
GIBBS, Colin L. *See* CHAPMAN, J. Brian, *et al*, 656
GIBSON, Keith, and HARRIS, Peter. The *in-vitro* and *in-vivo* effects of polyamines on cardiac protein biosynthesis, 668
GILL, Carl C. *See* ROSENFELDT, Franklin L., *et al*, 26
GOTSMAN, M. S. *See* LEWIS, B. S., *et al*, 249
GOTT, Vincent L. *See* GREG BROWN, B., *et al*, 621
GOULD, Richard. *See* GUNTHEROTH, Warren G., *et al*, 330
GRAYSTONE, P. *See* LEDSOME, J. R., *et al*, 769
GREENBERG, B. P. *See* WEXLER B. C., *et al*, 460
GREG BROWN, B., GUNDEL, Walter D., GOTT, Vincent L., and COVELL, James W. Coronary collateral flow following acute coronary occlusion: a diastolic phenomenon, 621
GRIFFIN, C. J. *See* MALOR, R., *et al*, 731
GROVER, R. F. *See* WEIR, E. K., *et al*, 745
GUARDO, R. A. L. *See* MONRO, D. M., *et al*, 688
GUIDERI, Giancarlo, BARLETTA, Michael A., and LEHR, David. Extraordinary potentiation of isoproterenol cardiotoxicity by corticoid pretreatment, 775
GUNDEL, Walter D. *See* GREG BROWN, B., *et al*, 621
GUNTHEROTH, Warren G., GOULD, Richard, BUTLER, John, and KINNEN, Edwin. With the technical assistance of BREAZEALE, Donald, MCGOUGH, George, and MENDENHALL, John. Pulsatile flow in pulmonary artery, capillary, and vein in the dog, 330
GUZZO, C. *See* ABITBOL, A., *et al*, 99

H

HALL, L. W., and CLARKE, K. W. Spectral analysis as a method of quantitative interpretation of Doppler-shift signals, 796
HARRIS, Peter. *See* GIBSON, Keith, *et al*, 668
HARRISON, Donald C. *See* CÔTÉ, Pierre, *et al*, 721
HEATH, Donald. *See* WINSON, Max, *et al*, 58
HEEROOMS, B. *See* VAN DEN BOS, G. C., *et al*, 290
HENDERSON, A. H., BRUTSAERT, D. L., FORMAN, R., and SONNENBLICK, E. H. Influence of caffeine on force development and force-frequency relations in cat and rat heart muscle, 162
HENDERSON, Carrick. *See* HOPKINS, Barry E., *et al*, 701
HERBERT, Walter H., and YELLIN, Edward. A qualitative analysis of pulmonary hypertension: a role for accelerative forces, 323
HIGGINS, Charles B., VATNER, Stephen F., FRANKLIN, Dean, and BRAUNWALD, Eugene. Pattern of differential vasoconstriction in response to acute and chronic low-output states in the conscious dog, 92
HIGGINS, Charles B. *See* VATNER, Stephen F., *et al*, 153, 276
HOLEC, V. *See* ŠIŠKA, K., *et al*, 404
HOLZER, John. *See* KARLINER, Joel S., *et al*, 18
HOOBLER, S. W. *See* ROMERO, J. Carlos, *et al*, 681
HOPKINS, Barry E., LLOYD, Brian L., and TAYLOR, Roger R. With the technical assistance of HENDERSON, Carrick, and BURROWS, Peter. Myocardial digoxin uptake in pressure overload right ventricular hypertrophy, 701
HOUSTON, A. B. *See* VAS, R., *et al*, 811
HUGHES, Howard C. *See* LIEDTKE, A. James, *et al*, 787

I

IMMS, F. J., and NEAME, R. L. B. Circulatory changes following adrenalectomy in the rat, 268
INGELS, Neil B., Jr, and DAUGHTERS, George T., II. A quantitative definition of ventricular asynergy, 632

J

JAGENEAU, A. H. M. *See* RENEMAN, R. S., *et al*, 65
JAMES, Thomas N. *See* URTHALER, Ferdinand, *et al*, 46, 173
JIRSCH, D. W., KRAFT, N., and DIENER, E. Transplantation of the mouse heart – a useful research model, 145

K

KAPLAN, Samuel. *See* BENZING, George, III, *et al*, 313
KAREMAKER, John M. *See* BORST, Cornelius, *et al*, 674
KARLINER, Joel S., GAULT, James H., BOUCHARD, Richard J., and HOLZER, John. Factors influencing the ejection fraction and the mean rate of circumferential fibre shortening during atrial fibrillation in man, 18
KARP, P. J. *See* SAARINEN, M., *et al*, 820
KATHOLI, Charles R. *See* URTHALER, Ferdinand, *et al*, 173
KATILA, T. E. *See* SAARINEN, M., *et al*, 820
KATZ, Arnold M., REPKE, Doris I., TADA, Michihiko, and CORKEDALE, Susan. Propranolol-induced inhibition of cardiac microsomal calcium-uptake, calcium-binding, and epinephrine-stimulated adenylate cyclase, 541
KELLER, Francis W. *See* BRODY, Daniel A., *et al*, 37
KENNIE, D. C. *See* VAS, R., *et al*, 811
KIKUCHI, Yutaka, and RODBARD, Simon. Autoregulatory escape and post-escape hyperaemia in a capillaron model, 395
KINNEN, Edwin. *See* GUNTHEROTH, Warren G., *et al*, 330
KJEKSHUS, J. K. Effect of inhibition of lipolysis on heart failure following acute coronary occlusion in the dog, 73
KLIGERMAN, Miriam. *See* RABINOWITZ, Babeth, *et al*, 243
KLIJN, J. A. J., and KLOPROGGE, M. J. G. M. Movement artefact suppressor during ECG monitoring, 149
KLOPPROGGE, M. J. G. M. *See* KLIJN, J. A. J., *et al*, 149
KRAFT, N. *See* JIRSCH, D. W., *et al*, 145
KRAMES, Barbara L. *See* URTHALER, Ferdinand, *et al*, 46
KUHN, H., PFITZER, P., and STOEPEL, K. DNA content and DNA synthesis in the myocardium of rats after induced renal hypertension, 86

L

LAHIRI, Kamalesh. *See* MOSCHOS, Christos B., *et al*, 715
LAKS, Michael M., MORADY, Fred, GARNER, Daniel, and SWAN, H. J. C. Temporal changes in canine right ventricular volume, mass, cell size, and sarcomere length after banding the pulmonary artery, 106
LAWRIE, T. D. V. *See* YOUNG, B. D., *et al*, 187
LEA THOMAS, M. *See* CALLUM, K. G., *et al*, 373
LEDINGHAM, I. MCA. *See* MARSHALL, R. J., *et al*, 204
LEDINGHAM, John G. G. *See* WARREN, David J., *et al*, 570
LEDSOME, J. R., GRAYSTONE, P., COPPIN, J., and LEUNG, T. Ventricular fibrillation thresholds in the presence of leakage currents, 769
LEE, Jang Y. *See* TOBIA, Alfonso J., *et al*, 758
LEHR, David. *See* GUIDERI, Giancarlo, *et al*, 775
LEUNG, T. *See* LEDSOME, J. R., *et al*, 769

LEWARTOWSKI, Bohdan, and SĘDEK, Grzegorz. Mechanical performance of the left ventricle at early stages of experimental ischaemia. Mechanism of shortening of ejection period, 593

LEWIS, B. S., MITHA, A. S., BAKST, A., PURDON, K., and GOTSMAN, M. S. Haemodynamic effects of beta blockade in hypertrophic cardiomyopathy using Sectral (acebutolol; M&B 17803A), 249

LEWIS, P. J. *See* MYERS, M. G., *et al*, 806

LIEDTKE, A. James, and HUGHES, Howard C. With the technical assistance of PASCARELLA, Richard. Effects of intracoronary temperature variation on the coronary circulation, 787

LLOYD, Brian L. *See* HOPKINS, Barry E., *et al*, 701

LLOYD, R. A., and MCDONALD, D. A. Mixing action and mitral inflow patterns in an isolated ventricle hydraulically operated, 517

LLOYD, R. A., and WILSON, E. M. An hydraulically actuated isolated ventricle, 562

LOCKHART, A., DUHAZE, P., POLIANSKI, J., WEILL, D., and MENSCH-DECHENE, J. A modified double dye injection method for pulmonary blood volume determination. II. Results in resting and exercising normal subjects, 120

LOCKHART, A., VALLOIS, J. M., MENSCH-DECHENE, J. POLIANSKI, J., ZELTER, M., and SIBILLE, L. A modified double dye injection method for pulmonary blood volume determination. I. Validation in dogs, 112

LOWN, Bernard. *See* VERRIER, Richard, *et al*, 602

LUBBE, W. F., PEISACH, M., PRETORIUS, R., BRUYNEEL, K. J. J., and OPIE, L. H. Distribution of myocardial blood flow before and after coronary artery ligation in the baboon. Relation to early ventricular fibrillation, 478

M

MCCLOY, Robert B., Jr., PRANCAN, Arthur V., and NAKANO, Jiro. Effects of acetaldehyde on the systemic, pulmonary, and regional circulations, 216

MCCLOY, Robert B., Jr. *See* NAKANO, Jiro, *et al*, 750

MCDONALD, D. A. *See* LLOYD, R. A., *et al*, 517

MACFARLANE, P. W. *See* YOUNG, B. D., *et al*, 187

MCGOUGH, George. *See* GUNTHEROTH, Warren G., *et al*, 330

MACKENZIE, E. T. *See* VAS, R., *et al*, 811

MCNAMARA, D. B. *See* DHALLA, N. S., *et al*, 227

MACY, Josiah, Jr, *See* URTHALER, Ferdinand, *et al*, 173

MALIK, A. B., SHAPIRO, J. M., YANICS, J., ROJALES, A., and GEHA, A. S. A simplified method for producing rapid ventricular hypertrophy in rats, 801

MALLOCH, Christopher I. *See* DAVIDSON, Dennis M., *et al*, 299

MALOR, R., TAYLOR, S., CHESHER, G. B., and GRIFFIN, C. J. The intramural ganglia and chromaffin cells in guinea pig atria: an ultrastructural study, 731

MANSKOPF, Gisbert. See MOSCHOS, Christos B., *et al*, 715

MARSHALL, R. J., PARRATT, J. R., and LEDINGHAM, I. MCA. Changes in blood flow and oxygen consumption in normal and ischaemic regions of the myocardium following acute coronary artery ligation, 204

MARTINEZ, E. *See* TIMOGIANNAKIS, G., *et al*, 469

MATHEY, D., BLEIFELD, W., and FRANKEN, G. Left ventricular relaxation and diastolic stiffness in experimental myocardial infarction, 583

MEESMANN, W. *See* SCHLEY, G., *et al*, 640

MENDENHALL, John. *See* GUNTHEROTH, Warren G., *et al*, 330

MENDOZA, J., and DE MELLO, W. C. Influence of progesterone on membrane potential and peak tension of myocardial fibres, 352

MENSCH-DECHENE, J. *See* LOCKHART, A., *et al*, 112, 120

MIHALICK, Michael J. *See* ZIPES, Douglas P., *et al*, 647

MILLARD, Ronald W. *See* VATNER, Stephen F., *et al*, 276

MILLS, C. J. *See* ZACHAROULIS, A. A., *et al*, 506

MITHA, A. S. *See* LEWIS, B. S., *et al*, 249

MONRO, D. M., GUARDO, R. A. L., BOURDILLON, P. J., and TINKER, J. A Fourier technique for simultaneous electrocardiographic surface mapping, 688

MORADY, Fred. *See* LAKS, Michael M., *et al*, 106

MORCH, John E. *See* NORWICH, Kenneth H., *et al*, 430

MOSCHOS, Christos B., OLDEWURTEL, Henry A., LAHIRI, Kamalesh, MANSKOPF, Gisbert, and REGAN, Timothy J. Incorporation of ^{131}I-fibrinogen in a coronary artery thrombus, detected *in vivo* with a scintillation camera 715

MUNTER, William A., and STEIN, Paul D. Turbulent blood flow and the effects of erythrocytes, 338

MYERS, M. G., REID, J. L., and LEWIS, P. J. The effect of central serotonin depletion on DOCA-saline hypertension in the rat, 806

N

NADEAU, Réginald A. *See* BILLETTE, Jacques, *et al*, 347

NAKANO, Jiro, and MCCLOY, Robert B., Jr. Effects of prostaglandin E_1 and 15-methyl-prostaglandin E_1 on the cardiovascular responses to bilateral carotid arterial occlusion, 750

NAKANO, Jiro. *See* MCCLOY, Robert B., Jr, *et al*, 216

NASSENSTEIN, F. *See* VAN DEN BOS, G. C., *et al*, 290

NAVE, Edwin. *See* BENZING, George, III, *et al*, 313

NAYAR, A., and OLSEN, E. G. J. The use of the basic fuchsin stain in the recognition of early myocardial ischaemia, 391

NEAME, R. L. B. *See* IMMS, F. J., *et al*, 268

NG, Y. L. *See* WRIGHT, J. E. C., *et al*, 384

NICOLL, Ann deB. *See* ZIPES, Douglas P., *et al*, 647

NORDENFELDT, Ivar. Blood flow of working muscles during autonomic blockade of the heart, 263

NORWICH, Kenneth H., PINTO, Christopher, MORCH, John E., and ZELIN, Samuel. A practical method for removing catheter distortions from indicator-dilution curves, 430

O

OFFERHAUS, L., and ZWIETEN, P. A. van. Comparative studies on central factors contributing to the hypotensive action of propranolol, alprenolol, and their enantiomers, 488

OLDEWURTEL, Henry A. *See* MOSCHOS, Christos B., *et al*, 715

OLSEN, E. G. J. *See* NAYAR, A., *et al*, 391

OPIE, L. H. *See* LUBBE, W. F., *et al*, 478

OWENS, Kenneth. *See* WEGLICKI, William B., *et al*, 237

P

PANCZA, D. *See* ŠIŠKA, K., *et al*, 404

PARMLEY, William W. *See* RABINOWITZ, Babeth, *et al*, 243

PARRATT, J. R. *See* MARSHALL, R. J., *et al*, 204

PASCARELLA, Richard. *See* LIEDTKE, A. James, *et al*, 787

PEISACH, M. *See* LUBBE, W. F. *et al*, 478

PFITZER, P. *See* KUHN, H., *et al*, 86

PINTO, Christopher. *See* NORWICH, Kenneth H., *et al*, 430

PLATTS, R. G. S., and WILSON, P. A chronically implanted cuff for occlusion of dog's pulmonary artery during exercise, 439

POLIANSKI, J. *See* LOCKHART, A., *et al*, 112, 120

POLUMBO, Ralph A. *See* CÔTÉ, Pierre, *et al*, 721

POWELL, W. John, Jr. *See* WILLERSON, James T., *et al*, 8

PRANCAN, Arthur V. *See* MCCLOY, Robert B., Jr, *et al*, 216

PRETORIUS, R. *See* LUBBE, W. F. *et al*, 478

PURDON, K. *See* LEWIS, B. S., *et al*, 249

R

RABINOWITZ, Babeth, PARMLEY, William W., BONNORIS, George, CHUCK, Leonard, and KLIGERMAN, Miriam. Interaction of phentolamine and noradrenaline on myocardial contractility and adenyl cyclase activity, 243

RAHMOELLER, Glenn. *See* STINSON, Edward B., *et al*, 283

REEVES, J. T. *See* WEIR, E. K., *et al*, 745

REGAN, Timothy J. *See* MOSCHOS, Christos B., *et al*, 715

REGAN, Timothy J. *See* WEISSE, Allen B., *et al*, 526

REID, J. L. *See* MYERS, M. G., *et al*, 806

RENEMAN, R. S., WELLENS, D., JAGENEAU, A. H. M., and STYNEN, L. Vertebral and carotid blood distribution in the brain of the dog and the cat, 65

REPKE, Doris I. *See* KATZ, Arnold M. *et al*, 541

REYNOLDS, David G. *See* BRUNGARDT, James M., *et al*, 423

RICHARDSON, Daniel R. Interaction of systemic and local vascular regulation of the intestinal circulation during systemic infusion of norepinephrine, 496

ROBBINS, Gordon T. *See* ZIPES, Douglas P., *et al*, 647

ROBERGE, Fernand. *See* BILLETTE, Jacques, *et al*, 347

RODBARD, Simon. *See* KIKUCHI, Yutaka, *et al*, 395

ROJALES, A. *See* MALIK, A. B., *et al*, 801

ROMERO, J. Carlos, SAI WAH MAK, and HOOBLER, S. W. Effect of blockade of angiotensin-1 converting enzyme on the blood pressure of renal hypertensive rabbits, 681

ROSENFELDT, Franklin, L., GILL, Carl C., WECHSLER, Andrew S., and SABISTON, David C., Jr. Ventricular function following experimental coronary artery bypass grafting: the relationship of functional improvement to haemodynamics in the graft, 26

ROSS, Gordon. Myocardial and coronary vascular effects of salbutamol, 1

ROSS, John, Jr. *See* DAVIDSON, Dennis M., *et al*, 299

RUTH, Robin C. *See* WEGLICKI, William B., *et al*, 237

S

SAARINEN, M., KARP, P. J., KATILA, T. E., and SILTANEN, P. The magnetocardiogram in cardiac disorders, 820

SABISTON, David C., Jr. *See* ROSENFELDT, Franklin L., *et al*, 26

SAI WAH MAK. *See* ROMERO, J. Carlos, *et al*, 681

SANDERS, Charles A. *See* WILLERSON, James T., *et al*, 8

SCHLEY, G., MEESMANN, W., WILDE, A., and WILD U. Changes in fibrillation threshold of the heart produced by a beta-sympatholytic agent (practolol), before and after experimental coronary ligation, 640

SCHOPMAN, Francien J. G. *See* BORST, Cornelius, *et al*, 674

SĘDEK, Grzegorz. *See* LEWARTOWSKI, Bohdan, *et al*, 593

SEED, R. G. F. L. *See* CHUNG, D. C. W., *et al*, 362

SHAPIRO, J. M. *See* MALIK, A. B., *et al*, 801

SHILLINGFORD, J. P. *See* ZACHAROULIS, A. A. *et al*, 506

SIBILLE, L. *See* LOCKHART, A., *et al*, 112

SILTANEN, P. *See* SAARINEN, M., *et al*, 820

SIMAAN, J. Left ventricular volume as a determinant of myocardial oxygen consumption, 534

SIMAAN, J., and FAWAZ, G. Myocardial oxygen consumption in isovolumic hearts with varying cardiac outputs, 763

SINGH, J. N. *See* DHALLA, N. S., *et al*, 227

ŠIŠKA, K., ZIEGELHÖFFER, A., FEDELEŠOVÁ, M., HOLEC, V., SLEZÁK, J., STYK, J., PANCZA, D., and GABAUER, I. Effect of intra-aortic balloon counterpulsation in experimental myocardial injury following acute coronary occlusion. Biochemical, ultrastructural, and physiological aspects, 404

SLEZÁK, J. *See* ŠIŠKA, K., *et al*, 404

SMITH, Emil R., and DUCE, Benjamin R. Anti-arrhythmic and serum free fatty acid lowering effects of 5-fluoronicotinyl alcohol following experimentally induced myocardial infarction in the dog, 550

SMITH, Paul. *See* WINSON, Max, *et al*, 58

SONNENBLICK, E. H. *See* HENDERSON, A. H., *et al*, 162

SONNENBLICK, Edmund H. *See* WEGLICKI, William B., *et al*, 237

STEIN, Paul D. *See* MUNTER, William A., *et al*, 338

STINSON, Edward B., RAHMOELLER, Glenn, and TECKLENBERG, Paul L. Measurement of internal left ventricular diameter by a tracking sonomicrometer, 283

STOCKERT, James. *See* BENZING, George, III, *et al*, 313

STOEPEL, K. *See* KUHN, H., *et al*, 86

STYK, J. *See* ŠIŠKA, K., *et al*, 404

STYNEN, L. *See* RENEMAN, R. S., *et al*, 65

SWAN, H. J. C. *See* LAKS, Michael M., *et al*, 106

SWAN, Kenneth G. *See* BRUNGARDT, James M., *et al*, 423

SZEKERES, L., and SZURGENT, J. A new type of electrode for continuous recording of monophasic action potentials from the heart *in situ*, 132

SZURGENT, J. *See* SZEKERES, L., *et al*, 132

T

TADA, Michihiko. *See* KATZ, Arnold M., *et al*, 541

TAYLOR, Roger R. *See* HOPKINS, Barry E., *et al*, 701

TAYLOR, S. *See* MALOR, R., *et al*, 731

TECKLENBERG, Paul L. *See* STINSON, Edward B., *et al*, 283

THOMAS, M. *See* TIMOGIANNAKIS, G., *et al*, 469

THOMPSON, Peter. *See* VERRIER, Richard, *et al*, 602

THURSFIELD, C. D. *See* VAS, R., *et al*, 811

TIMOGIANNAKIS, G., AMENDE, I., MARTINEZ, E., and THOMAS, M. ST segment deviation and regional myocardial blood flow during experimental partial coronary artery occlusion, 469

TINKER, J. *See* MONRO, D. M., *et al*, 688

TOBIA, Alfonso J., LEE, Jang Y., and WALSH, Gerald M. Regional blood flow and vascular resistance in the spontaneously hypertensive rat, 758

TSUEI, Y. G. *See* BENZING, George, III, *et al*, 313

TUCKER, A. *See* WEIR, E. K., *et al*, 745

TURNER, R. J. *See* FREEMAN, Shirley E., *et al*, 443, 451

U

URTHALER, Ferdinand, KATHOLI, Charles R., MACY, Josiah, Jr, and JAMES, Thomas N. Electrophysiological and mathematical characteristics of the escape rhythm during complete AV block, 173

URTHALER, Ferdinand, KRAMES, Barbara L., and JAMES, Thomas N. Selective effects of pentobarbital on automaticity and conduction in the intact canine heart, 46

V

VALLOIS, J. M. *See* LOCKHART, A., *et al*, 112

VAN DEN BOS, G. C., DOLFING, J., NASSENSTEIN, F., HEEROOMS, B., BUITENWEG, R., ENGEL, W., and DIJKEMA, F. K. A comparatively inexpensive implantable miniature pressure transducer, 290

VAS, R., THURSFIELD, C. D., MACKENZIE, E. T., KENNIE, D. C., and HOUSTON, A. B. Recording of heart movements from the oesophagus, 811

VATNER, Stephen F., HIGGINS, Charles B., and BRAUNWALD, Eugene. Sympathetic and parasympathetic components of reflex tachycardia induced by hypotension in conscious dogs with and without heart failure, 153

VATNER, Stephen F., HIGGINS, Charles B., MILLARD, Ronald W., and FRANKLIN, Dean. Role of the spleen in the peripheral vascular response to severe exercise in untethered dogs, 276

VATNER, Stephen F. *See* HIGGINS, Charles B., *et al*, 92

VERRIER, Richard, THOMPSON, Peter, and LOWN, Bernard. Ventricular vulnerability during sympathetic stimulation: role of heart rate and blood pressure, 602

W

WALSH, Gerald M. *See* TOBIA, Alfonso J., *et al*, 758

WARREN, David J. A thermistor probe for measurement of blood temperature and cardiac output in small animals, 566

WARREN, David J., and LEDINGHAM, John G. G. Measurement of cardiac output distribution using microspheres. Some practical and theoretical considerations, 570

WECHSLER, Andrew S. *See* ROSENFELDT, Franklin L., *et al*, 26

WEGLICKI, William B., OWENS, Kenneth, RUTH, Robin C., and SONNENBLICK, Edmund H. Activity of endogenous myocardial lipases during incubation at acid pH, 237

WEILL, D. *See* LOCKHART A., *et al*, 120

WEIR, E. K., TUCKER, A., REEVES, J. T., WILL, D. H., and GROVER, R. F. The genetic factor influencing pulmonary hypertension in cattle at high altitude, 745

WEISFELDT, Myron L. *See* WILLERSON, James T., *et al*, 8

WEISSE, Allen B., and REGAN, Timothy J. A comparison of thermodilution coronary sinus blood flows and Krypton myocardial blood flows in the intact dog, 526

WELLENS, D. *See* RENEMAN, R. S., *et al.*, 65

WENNEMARK, James R. *See* BRODY, Daniel A., *et al*, 37

WEXLER, B. C., WILLEN, D., and GREENBERG, B. P. Progressive electrocardiographic changes in male and female arteriosclerotic and non-arteriosclerotic rats during the course of isoproterenol-induced myocardial infarction, 460

WILD, U. *See* SCHLEY, G., *et al*, 640

WILDE, A. *See* SCHLEY, G., *et al*, 640

WILL, D. H. *See* WEIR, E. K., *et al*, 745

WILLEN, D. *See* WEXLER, B. C., *et al*, 460

WILLERSON, James T., WEISFELDT, Myron L., SANDERS, Charles A., and POWELL, W. John, Jr. Influence of hyperosmolar agents on hypoxic cat papillary muscle function, 8

WILSON, E. M. *See* LLOYD, R. A., *et al*, 562

WILSON, P. *See* PLATTS, R. G. S., *et al*, 439

WINSON, Max, HEATH, Donald, and SMITH, Paul. Extensibility of the human carotid sinus, 58

WRIGHT, J. E. C., and NG, Y. L. Elasticity of human aortic valve cusps, 384

Y

YANICS, J. *See* MALIK, A. B., *et al*, 801

YELLIN, Edward. *See* HERBERT, Walter H., *et al*, 323

YOUNG, B. D., MACFARLANE, P. W., and LAWRIE, T. D. V. Normal thoracic surface potentials, 187

Z

ZACHAROULIS, A. A., MILLS, C. J., GABE, I. T., and SHILLINGFORD, J. P. Estimation of stroke volume from the pulmonary artery pressure record, 506

ZELIN, Samuel. *See* NORWICH, Kenneth H., *et al*, 430

ZELTER, M. *See* LOCKHART, A., *et al*, 112

ZIEGELHÖFFER, A. *See* ŠIŠKA, K., *et al.*, 404

ZIPES, Douglas P., MIHALICK, Michael J., ROBBINS, and Gordon T. With the technical assistance of NICOLL, Ann deB. Effects of selective vagal and stellate ganglion stimulation on atrial refractoriness, 647

ZWIETEN, P. A. van. *See* OFFERHAUS, L. *et al*, 488

SUBJECT INDEX

1974, Volume 8

A

Acebutolol, effect on left ventricular compliance, 256
—, effect on myocardial contractility, 254
—, haemodynamic responses to, comparison with other agents, 260
Acetaldehyde, — — —, in dog, 218, 219, 221
—, — — —, effect of α- and β-adrenergic blockade on, 221
—, — — —, in hypertrophic cardiomyopathic patients, 253,
Acetylcholine, effect on physostigmine-induced atrioventricular block, in dog, 181
—, response of heart rate to, effect of pentobarbitone on, and influence of various anaesthetics and of atropine, in dog, 50
Adenine nucleotides, heart, response to coronary occlusion, and effect of intra-aortic balloon counterpulsation on, in dog, 406, 407
Adenosine triphosphatase activity, sodium-potassium stimulated, in mitochondrial and microsomal fractions of rat isolated heart, 229
— — —, sodium-potassium stimulated, in rat isolated heart, effect of time, sodium, potassium, magnesium, ATP and acidity on, 231
— — —, — —, — — — —, response to presence of glucose in perfusion fluid, and effect of deoxycholate or sodium-iodine on, 229
— tri-, di- and mono-phosphates, heart, response to coronary occlusion, and effect of intra-aortic balloon counterpulsation on, in dog, 406, 407
Adenyl cyclase activity, of cat isolated heart preparations, effect of isoprenaline, phentolamine and noradrenaline on, 245
Adenylate cyclase, cardiac microsomal, response to propranolol, and effect of propranolol on its response to epinephrine, 547,
Adrenalectomy, haemodynamic responses to, and effect of saline drinking on, in rat, 271
—, response of body fluids to, and effect of saline drinking on, in rat, 272
Adrenaline, effect on sinoatrial node action potentials, in rabbit isolated atria, 444, 447
Adrenergic agents, α- and β-, response of heart rate to, effect of deoxycorticosterone acetate on, in rat, 776, 777, 781
— blockade, effect on response of femoral blood flow to isoproterenol and phenylephrine, 425, 426
— —, α- and β-, effect on haemodynamic responses to acetaldehyde, in dog, 221
— —, — — —, response of femoral blood flow to, and effect on responses to norepinephrine and epinephrine, in dog, 424, 426
— —, β-, acebutanol-induced, haemodynamic responses to, in hypertrophic cardiomyopathic patients, 253, 254
— —, β-, effect on contractility and adenyl cyclase activity of cat isolated heart preparations, 245
— —, —, effect on haemodynamic responses, to thyronamine, in dog, 726
Allografts, mouse fetal heart, rejection response to, 145
Alprenolol, response of blood pressure to, effect of route of administration on, in cat, 491
Altitude, effect on haemodynamic responses to prostaglandin $F_2\alpha$, genetic factors in, in cattle, 747
Aminoacyl-tRNA synthetase activity, effect of polyamines on, in rat isolated heart preparations, 669, 671
α-Aminoisobutyric acid, protein uptake of, effect of spermine on, in rat isolated heart preparations, 672
Anaesthetic agents, effects on Doppler-shift probe measurement of pulmonary artery blood flow, in sheep and pony, 798
Angina pectoris, blood pressure and R-R interval in, response to carotid sinus nerve stimulation, 678
Angiotensin, influence on effect of prostaglandin E_1 on haemodynamic responses to bilateral carotid artery occlusion, in dog, 752
—, responses to, effect of converting enzyme inhibitor SQ20858 on, and influence of renal hypertension on, in rabbit, 682
Aorta, ascending, blood flow in, in spontaneously hypertensive rat, 761
—, —, clamping of, effect on tension in ischaemic left ventricle, in dog, 598
—, descending, constriction of, changes in, haemodynamic responses to, in dog, 366
—, suprarenal abdominal, banding of, induction of ventricular hypertrophy by, in rat, 802
Aortic valve cusps, human, elasticity of, and effects of pressure changes and age on, 387
Arteries, mesenteric, renal and external iliac, blood flow in, response to low output state induced by experimental heart failure, in conscious dog, 93, 94
Arteriolar constriction, responses of autoregulatory escape and post-escape hyperaemia to, in capillaron model, 398
Arteriomegaly, definition and description of, 373–376
—, haemodynamics in, in man, 379–381
Arteriosclerosis, isoproterenol-induced myocardial infarction during, in rat, 462
Artery, carotid, bilateral occlusion of, haemodynamic responses to, effect of prostaglandin E_1 on, in dog, 751
—, —, — — —, — — —, — — — —, influence of angiotensin and vasopressin, 752
—, —, — — —, — — —, effect of 15-methyl-prostaglandin E_1 on, 752
—, —, dog, preparations of, transport of labelled cholesterol from perfusion serum into, 199
—, —, human, extensibility of, and effect of age on, 61
—, coronary, acute occlusion of, haemodynamic and electrocardiogram responses to, in dog, 206
—, —, blood flow in, response to salbutamol, 2
—, —, — — —, — — —, comparison with response to isoprenaline, 3, 4
—, —, chronic occlusion of, response to, in dog, 28
—, —, collateral blood flow in, response to occlusion by balloon counterpulsation, in dog, 625, 626, 628
—, —, collateral vasculature of, model of, 629
—, —, experimental thrombi in, labelled fibrinogen in, detection by scintillation camera, in dog, 716
—, —, occlusion of, effect of intra-aortic balloon counterpulsation on responses to, in dog, 405
—, —, — —, haemodynamic responses to, in dog, 367, 416
—, —, — —, induction of ventricular asynergy by, in dog, 635
—, —, — —, induction of ventricular fibrillation by, effect of practolol on, in dog, 642

Artery, coronary, occlusion of, response of left ventricular diastolic stiffness and isovolumetric relaxation to, 587
—, —, — —, response of myocaridal blood flow to, in baboon, 482, 484
—, —, — —, — — — — — —, in dog, 471, 472
—, —, — —, response of systemic and left ventricular blood pressure to, in dog, 595
—, —, — —, ventricular haemodynamic responses to, in dog, 586
—, —, — —, — — — —, and effect of β-pyridyl-carbinol on, in dog, 75
—, —, right, bypass of, responses to, 28
—, iliac and superior mesenteric, blood flow in, in spontaneously hypertensive rat, 760
—, pulmonary, banding of, temporal responses of right ventricle to, in dog, 107
—, —, blood flow in, and response to phenylephrine, in dog, 333
—, —, occlusion of, response of right ventricular blood pressure to, and effect of digoxin on, in dog, 702
—, —, total occlusion of, chronically-implanted cuff for, in dog, 439–442
—, vertebral and carotid, blood from, distribution in brain, in cat and dog, 68
Asynergy, ventricular, induction by coronary artery occlusion, in dog, 635
—, —, quantitative definition of, 632
—, —, — — —, application of, 636
Atherosclerosis, effect on human carotid sinus, and influence of age, 61, 64
Atrial arrhythmia, induction by isoproterenol, influence of deoxycorticosterone acetate on, in rat, 777
— fibrillation, effect on left ventricular performance, in man, 19
— —, effect on minimum RR interval and on functional refractory period of AV junction, in dog isolated heart, 348
Atrioventricular automaticity, response to pentobarbitone, in dog, 54
— block, induction by physostigmine, in dog, 174, 178
— —, — — —, escape rhythm during, 178, 180
— —, — — —, pharmacological responses to, 181
— conduction, response to pentobarbitone and effect of route of administration on, in dog, 52
— nodal conduction, response to stellate ganglion stimulation, in dog, 650
— node, action potentials of, in rabbit isolated atria, 447
— —, functional refractory period of, relationship to minimum RR interval, in dog isolated heart, 348
— pacing, sequential, sextapolar catheter electrode for, in man, 713
Atrium, guinea pig, intramural ganglia and chromaffin cells in, distribution of, 732
—, muscle refractory periods of, response to stellate ganglion stimulation, 650
—, — — — —, response to vagosympathetic trunk stimulation, regional variations of, in dog, 649
—, rabbit isolated preparations, atrioventricular node action potentials in, effect of temperature on, 445
—, — — —, cell types in, action potentials of, 454
—, — — —, sinoatrial node action potentials in, and effect of adrenaline on, 443, 444, 447
—, — — —, — — — — —, effect of temperature on, 445
—, rabbit and guinea pig isolated preparations, action potentials of, ionic conductance of, 455
Atropine, effect on blood pressure and heart rate responses to nitroglycerin and inferior vena caval occlusion, in conscious dog, 155
—, — — — — — — — — — — — — — — —, influence of experimental congestive heart failure, 156
—, effect on haemodynamic responses to thyronamine, in dog, 726
Atropine, effect on physostigmine-induced atrioventricular block, in dog, 181
—, influence on effect of pentobarbitone and on response of heart rate to acetylcholine, in dog, 50
—, responses to, effect of exercise on, in man, 264, 265
Autonomic blockade, responses to, and effect of exercise on, 265
Autoregulatory escape, response to arteriolar constriction, in capillaron model, 398
Axo-axonal synapses, association with intramural ganglia, in guinea pig atria, 738
Axo-dendritic and axo-somatic synapses, association with intramural ganglia, in guinea pig atria, 737

B

Behavioural responses, to 5,6-dihydroxytryptamine, and effect of deoxycorticosterone acetate on, in rat, 808
— —, to radioactive microspheres, in rabbit, 570
Blood, mixing of, effect of stroke volume and heart rate on, in dog isolated left ventricle preparations, 518
—, vertebral and carotid arterial, distribution in brain, in cat and dog, 68
Blood flow, arterial, in arteriomegaly, in man, 379
— —, ascending aortic, in spontaneously hypertensive rat, 761
— —, autoregulatory escape and post-escape hyperaemia, responses to arteriolar constriction, in capillaron model, 398
— —, calf, in arteriomegaly, 380
— —, coronary, response to coronary occlusion, in dog, 416, 420
— —, —, — — — —, relationship to left ventricular diastolic stiffness and relaxation, 589
— —, —, response to right ventricular hypertension, in dog, 613, 617
— —, —, retrograde, response to isoproterenol and nitroglycerine, 628
— —, —, —, response to variation of heart rate, 626
— —, —, —, response to variation of systolic and diastolic pressures, in dog, 625
— —, coronary and right ventricular, response to right ventricular hypertension, and effect of phenoxybenzamine on, in dog, 614
— —, coronary sinus, thermodilution measurement of, relationship to left ventricular mass, 709
— —, coronary sinus and myocardial, effect of various experimental procedures on, 530
— —, — — — —, measurement by thermodilution and labelled krypton, comparison of, in dog, 527
— —, femoral, response to α- and β-adrenergic amines, effect of route of administration on, 427
— —, —, responses to α- and β-adrenergic blockade, and to norepinephrine and epinephrine, in dog, 424, 426
— —, —, response to isoproterenol and phenylephrine, and effect of α- and β-adrenergic blockade on, 425, 426
— —, iliac and superior mesenteric arterial, in spontaneously hypertensive rat, 760
— —, indicator-dilution measurement of, catheter-induced distortions of, correction of, 430–438
— —, measurement of, hydraulic isolated ventricle for, 562
— —, mesenteric and renal, response to exercise, in dog, 278
— —, — — —, — — —, effect of splenectomy on, 278
— —, muscle, response to atropine and propranolol, and effect of exercise on, in man, 264, 265
— —, myocardial, measurement by radioactive microspheres, in baboon, 481
— —, —, response to acute coronary artery occlusion, in dog, 207, 209
— —, —, response to coronary artery occlusion, 482, 484

Blood flow, myocardial, response to experimental partial coronary occlusion in dog, 471, 472
— —, —, response to thoracotomy, 206
— —, pulmonary, response to pulmonary arterial occlusion, effect of exercise on, in man, 326
— —, pulmonary arterial, double dye injection determination of, validation of, in dog, 114
— —, — —, measurement by Doppler probes and dye dilution, in sheep and pony, 798
— —, pulmonary vasculature, response to heart rate changes, 334
— —, — —, and response to phenylephrine, in dog, 333
— —, radioactive microspheres in measurement of, in rabbit, 570, 576, 579
— —, regional, in mammalian fetus, equations for determination of, 82
— —, turbulent, *in vitro*, effect of erythrocytes on, 341
— — and pressure, coronary, response to acetaldehyde, in dog, 221
— — — —, interrelationship of, response to intracoronary temperature, and effect of practolol on, in dog, 789, 791
— — — —, intestinal, response to intravenous norepinephrine, relationship of local and systemic regulation, in cat, 499, 501
— — — —, left ventricular, response to inferior vena caval occlusion, in conscious dog, 301
— — — —, pulmonary arterial, during rest, 124
— — — —, — —, effect of exercise on, 128
— — — —, regional, response to acetaldehyde, in dog, 219
— — — —, regional arterial, response to low output state induced by experimental heart failure, 93, 94
— — — —, response to acebutolol, in hypertrophic cardiomyopathic patients, 253, 254, 257
— — — —, response to acute coronary occlusion, and effect of β-pyridyl-carbinol on, in dog, 75
— — — — —, response to adrenalectomy, and effect of saline drinking on, in rat, 271
— — — —, response to changes of preload and afterload, in dog, 365, 366
— — — —, response to right heart bypass graft, in dog, 31
— — — —, response to salbutamol, in dog, 2
— — — —, — — —, comparison with response to isoprenaline, 3, 4
— — — —, systemic and pulmonary, response to acetaldehyde, 218
— — — —, — — —, — — —, effect of α- and β-adrenergic blockade on, 221
— — records, device for analysis of, description and evaluation of, 817
— gases and acidity, response to prostaglandin $F_2\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— — — —, response to thyronamine, in dog, 727
— metabolism, myocardial, response to acute coronary artery ligation, in dog, 207, 209
— plasma, propranolol level in, relationship to effect on blood pressure, and effect of route of administration on, in cat, 492
— —, uptake of digoxin by, and effect of right ventricular responses to pulmonary artery occlusion on, in dog, 703
— pressure, aortic, relationship to changes in left ventricular volume, in dog heart-lung preparations, 767
— —, —, response to coronary occlusion, in dog, 416
— —, —, response to myocardial ischaemia and effect of isoproterenol and epinephrine on, in dog, 316
— —, arterial, response to changes in left ventricular volume, in dog isolated heart-lung preparations, 537
— —, —, response to nitroglycerin and inferior vena caval occlusion, and effect of β-receptor blockade on, in conscious dog, 154, 155
— —, —, — — — — — — — — —, effect of cholinergic blockade on, 155
— —, —, — — — — — — — — —, influence of experimental congestive heart failure, 156
Blood pressure, arterial, response to thoracotomy, and to acute coronary artery ligation, in dog, 206
— —, left atrial, elevated, comparison with response of pulmonary arterial blood pressure to balloon occlusion, in man, 324
— —, left ventricular and aortic, responses to coronary artery occlusion, in dog, 586
— —, — — — —, response to intracoronary temperature, in dog, 788
— —, left ventricular end diastolic, relationship to systolic and diastolic pressures, 626
— —, miniature implantable transducer for recording, 290
— —, pulmonary arterial, response to balloon occlusion, and effect of exercise on, comparison with elevated left atrial pressures, in man, 324
— —, — —, response to various experimental procedures, in dog, 509
— —, pulmonary and systemic arterial, response to bilateral carotid artery occlusion, effect of prostaglandin E_1 on, in dog, 751
— —, — — — —, response to prostaglandin $F_2\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, response to alprenolol, effect of route of administration on, in cat, 491
— —, response to carotid sinus nerve stimulation, in angina pectoris patients, 678
— —, response to coronary occlusion, effect of 5-fluoro-nicotinyl alcohol on, 554
— —, response to deoxycorticosterone acetate, effect of 5,6-dihydroxy-tryptamine and uninephrectomy on, in rat, 807, 808
— —, response to exercise, in dog, 277
— —, — — —, effect of splenectomy on, 278
— —, response to leakage current, effect of catheter placement on, in dog, 771
— —, response to propranolol, effect of route of administration on, in cat, 489
— —, — — —, relationship to plasma and CSF drug levels, and effect of route of administration and of repeated administration on, 492
— —, response to thyronamine, in dog, 724, 726
— —, responses to vasoactive agents, effect of SQ20858 on, and influence of renal hypertension on, in rabbit, 682
— —, right ventricular, experimental increase in, cardiovascular responses to, in dog, 613
— —, — —, response to pulmonary artery occlusion, and effect of digoxin on, in dog, 702
— —, systemic, response to stellate ganglion and sympathetic stimulation, influence on induction of ventricular fibrillation, in dog, 606
— —, —, variations in, relationship to ejection fraction, in heart disease, in man, 20
— —, systemic and left ventricular, response to coronary artery occlusion, in dog, 595
— —, systolic and diastolic, variation of, response of retrograde coronary blood flow to, in dog, 625
— —, systolic arterial, response to induced renal hypertension, in rat, 87
— —, variations in, effect on response of intestinal vasculature to intravenous norepinephrine, 501
— — and metabolism, in ligated coronary artery stump, 210
— serum, flow rate in dog carotid artery preparations, 198
— —, 5-fluoro-nicotinyl alcohol levels in, after intravenous and oral administration, 555
— —, free fatty acids in, response to coronary occlusion, in dog, 553
— —, — — — —, — — — —, effect of 5-fluoro-nicotinyl-alcohol on, 556
— —, labelled cholesterol in, transport into dog carotid artery wall, 199
— temperature, thermistor probe for measurement of, 566
— velocity, arterial, in arteriomegaly, in man, 381

Blood volume, in arteriomegaly, in man, 380
— —, left ventricular end diastolic, changes in, haemodynamic responses to, in dog, 365
— —, pulmonary, double dye injection determination of, validation of, in dog, 116
— —, —, during rest, 124
— —, —, effect of exercise on, and correlation with other variables, 128
Bradykinin, responses to, effect of converting enzyme inhibitor SQ20858 on, and influence of renal hypertension on, in rabbit, 682
Brain, distribution of vertebral and carotid arterial blood in, in cat and dog, 68
Bundle branch block, effect on magnetocardiogram, in man, 828
— — —, right, effect on dipole ranging, 43
— — —, —, effect on vectorcardiographic loops, 41
— — —, —, effect on ventricular depolarization, in rabbit isolated heart, 38
Bypass, right heart, effect on response of ventricular function to experimental myocardial ischaemia, in dog, 28

C

Caffeine, effect on mechanical performance of papillary muscle, 163, 165, 169
—, effect on response of papillary muscle to paired electrical stimulation, 166
Calcium, cardiac microsomal uptake and binding of, effect of isoproterenol on, 545
—, — — — — — —, response to propranolol, 543
—, — — — — — —, — — —, comparison of optical isomers, 544
—, effect on response of sodium-potassium-stimulated adenosine triphosphatase activity of rat isolated heart to substrate depletion, 231
—, influence on effect of caffeine on mechanical performance of papillary muscle, 164, 165, 167
—, ionized, effect on response to propranolol of microsomal calcium uptake and binding, 544
—, serum levels of, response to strophanthin, in dog, 104
—, uptake by guinea pig isolated heart muscle, effect of progesterone on, 359
Capillaron model for study of autoregulatory escape and post-escape hyperaemia, 396
Capillary, pulmonary, blood flow in, and response to phenylephrine, in dog, 333
Cardiac nerve stimulation, effect on physostigmine-induced atrioventricular block, in dog, 181
— output, distribution of, radioactive microspheres in measurement of, in rabbit, 570, 574
— —, in spontaneously hypertensive rat, 761
— —, measurement by Doppler-shift flow probes and dye dilution, effect of various anaesthetics on, in sheep and pony, 798
— —, reduction by experimental heart failure, regional vasoconstriction responses to, in conscious dog, 93, 94
— —, relationship to changes in left ventricular volume, in dog heart-lung preparations, 767
— —, response to acetaldehyde, in dog, 218
— —, response to adrenalectomy, and effect of saline drinking on, in rat, 271
— —, response to changes in left ventricle volume, in dog isolated heart-lung preparations, 537
— —, response to coronary occlusion, in dog, 416
— —, — — — —, effect of intra-aortic balloon counterpulsation on, in dog, 405
— —, response to pulmonary arterial occlusion, in man, 326
— —, response to prostaglandin $F_{2}\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, response to thyronamine, in dog, 724, 726
Cardiac output, response to various experimental procedures, in dog, 509
— —, thermistor probe for measurement of, 566
Cardiovascular responses, to acetaldehyde, effect of α- and β-adrenergic blockade on, in dog, 221
— —, to carotid sinus nerve stimulation, in angina pectoris patients, 678
— —, to changes in left ventricular volume, in dog heart-lung preparations, 537, 767
— —, to right ventricular hypertension, in dog, 613
— —, — — — —, effect of phenoxybenzamine on, 614
— —, to thyronamine, in dog, 724, 726
Cardiograph, displacement, recording of heart movements via oesophagus with, in baboon, 813
Carotid artery, blood from, distribution in brain, in cat and dog, 68
— sinus and artery, extensibility of, and effect of age on, 61
— — nerve stimulation, response of blood pressure and R-R interval to, in angina pectoris patients, 678
Catecholamine depletion, effect on haemodynamic responses to thyronamine, in dog, 726
Catheter, coronary sinus, for estimation of left ventricular mass, 707
—, — —, placement of, 708
—, distortions of indicator-dilution curves induced by, correction of, 430–438
—, sextapolar electrode, sequential atrioventricular pacing with, in man, 713
Cell size, right ventricle, response to pulmonary arterial banding, in dog, 107
Cells, intramural ganglionic, guinea pig atrial, electron microscopy of, 732
Cerebellum, distribution of vertebral and carotid arterial blood in, in cat and dog, 68
Cerebrospinal fluid, propranolol level in, relationship to effect on blood pressure, and effect of route of administration on, in cat, 492
Chloralose, plus phencyclidine, anaesthesia induced by, influence on effect of pentobarbitone on heart rate, in dog, 47
Cholesterol, labelled, transport between perfusing serum and dog carotid artery wall, 199
Cholinergic blockade, effect on blood pressure and heart rate responses to nitroglycerin and inferior vena caval occlusion, in conscious dog, 155
— —, — — — — — — — — — — — — — —, influence of experimental congestive heart failure, 156
Chromaffin cells, intramural, guinea pig atrial, electron microscopy of, 732, 738
— —, —, — — —, response to reserpine, monoamine inhibition, noradrenaline, or dopa, 741
Computer correction of catheter distortions, 433, 436
Contour method, pulse, estimation of stroke volume from pulmonary artery blood pressure by, in cat, 509
Contractility, cat isolated heart preparations, effect of phentolamine and noradrenaline on, 244
—, guinea pig isolated heart, response to progesterone, 354
—, — — — —, — — —, mechanism of action of, 358
—, left ventricular, indices of, in conscious dog, 302
—, — —, response to experimental myocardial ischaemia, and effect of isoproterenol and epinephrine on, in dog, 316
—, — —, response to propranolol and isoproterenol, index of, 305
—, myocardial, response to acebutolol, in hypertrophic cardiomyopathic patients, 254
—, —, response to acetaldehyde, in dog, 221
—, —, — — —, effect of α- and β-adrenergic blockade on, 221
—, —, response to acute coronary artery ligation, in dog, 206
—, —, response to experimental myocardial ischaemia, effect of revascularization on, in dog, 31

Contractility, myocardial, response to salbutamol, in dog, 2
—, —, — — —, comparison with response to isoprenaline, 3, 4
—, rat isolated heart, response to presence of glucose in perfusion fluid, 228, 231, 232
Contractions, isometric, in rabbit isolated papillary muscle preparations, amplitude and duration of, effect of metabolic substrate on, 659
—, —, — — — — — —, response of heat production to, effect of metabolic substrate on, 658
Converting enzyme inhibitor (SQ20858), responses to, and its effect on responses to vasoactive agents, and influence of renal hypertension on, in rabbit, 682
Coronary insufficiency, effect on magnetocardiogram, in man, 830
— output, response to changes in left ventricle volume, in dog isolated heart-lung preparations, 537
— sinus blood flow, effect of various experimental procedures on, 530
— — — —, measurement by thermodilution, and comparison with myocardial blood flow, in dog, 527
Cortex, distribution of vertebral and carotid arterial blood in, in cat and dog, 68
Creatine phosphate, heart, response to coronary occlusion, and effect of intra-aortic balloon counterpulsation on, in dog, 406, 407
Cuff, chronically-implanted, for total occlusion of pulmonary artery, in dog, 439–442
Cusps, human aortic valve, elasticity of, and effects of pressure changes and age on, 387

D

DCA. *See* Deoxycorticosterone acetate
DL-1-(2-Acetyl-4-butyramidophenoxy)-2-hydroxy-3-isopropylaminopropane. *See* Acebutolol
DNA, myocardial, response to induced renal hypertension, in rat, 87
—, —, synthesis of, determination by thymidine, 89
DOCA. *See* Deoxycorticosterone acetate
Denervation, effect on response of intestinal vasculature to intravenous norepinephrine, in cat, 501
Deoxycorticosterone acetate, effect on body weight and water intake, and on response of heart rate to isoproterenol, in rat, 776
— —, effect on response of heart rate to epinephrine, 781
— —, response of blood pressure to, effect of intracisternal 5,6-dihydroxytryptamine and uninephrectomy on, in rat, 807, 808
Digitalis intoxication, strophanthin-induced, myocardial responses to, and effect of inorganic phsophates on, in dog, 101
Digoxin, uptake by ventricles, skeletal muscle and blood plasma, and effect of right ventricular responses to pulmonary artery occlusion on, in dog, 703
5,6-Dihydroxytryptamine, behavioural and metabolic responses to, and effect of deoxycorticosterone acetate on, 808
—, effect on response of blood pressure to deoxycorticosterone acetate, in rat, 807, 808
Dimethyl acetals, in phospholipid and triglyceride fractions of dog heart, and effect of acidic incubation on, 239
— —, — — — — — of rat heart, 238
Dipole ranging in rabbit isolated heart, effect of right bundle branch block on, 43
Displacement cardiograph, recording of heart movements via oesophagus with, in baboon, 813
Dye dilution, double injection technique, in determination of pulmonary blood volume and flow, validation of, in dog, 114, 116
— — measurement, hydraulic isolated ventricle for, 562

E

Ejection fraction, relationship to end diastolic volume, in heart disease, in man, 19
Electric current, induction of ventricular fibrillation by, effect of catheter location on, in dog, 771
Electrical field configurations, in rabbit isolated heart, in early and late systole, 39
Electrocardiogram, comparison of Frank and McFee-Parungao lead placement systems, in infants, 141
—, measurement of thoracic surface potentials by, in man, 189
—, minimum RR interval during atrial fibrillation of, and relationship to functional refractory period of AV junction, in dog isolated heart, 348
—, oesophageal, recording of heart movements by, in baboon 813
—, R-R interval of, relationship to ejection fraction, 20
—, — — —, relationship to end diastolic volume, in heart disease, in man, 19
—, — — —, response to carotid sinus nerve stimulation, in angina pectoris patients, 678
—, response to acute coronary artery ligation, in dog, 206
—, response to coronary occlusion, in dog, 416, 553
—, — — — —, effect of 5-fluoro-nicotinyl alcohol on, 554
—, response to experimental myocardial infarction, effect of intra-aortic balloon counter-pulsation on, in dog, 406
—, response to isoproterenol-induced myocardial infarction, in arteriosclerotic rat, 462
—, responses to physostigmine of, in dog, 174, 178
—, responses to strophanthin, and effect of inorganic phosphates on, in dog, 101
—, simultaneous recording with magnetocardiogram, 822
—, ST segment of, response to experimental partial coronary occlusion, in dog, 471, 472
—, vector loops in, in rabbit isolated heart, effect of right bundle branch block on, 41
— monitoring, movement artefact suppressor for, 149
Electrocardiographic surface mapping, in man, 688
Electrode for continuous recording of monophasic action potentials of heart *in situ*, 132
Electrode-amplifier, for suppressing movement artefacts during electrocardiogram monitoring, 149
Electrodes, sextapolar catheter, sequential atrioventricular pacing with, in man, 713
Electrodes, thoracic surface, placements of, for electrocardiographic mapping, 688, 694, 698
—, — —, synchronization and graphical display of signals from, 691
—, — —, validation of use of, 694
Epinephrine, effect on response of left ventricular contractility to experimental myocardial ischaemia, in dog, 316
—, response of femoral blood flow to, and effect of adrenergic blockade on, in dog, 424, 426
—, response of heart rate to, effect of deoxycorticosterone acetate on, in rat, 781
—, — — — — —, — — — — —, influence of tolazoline, 782
—, response of microsomal adenylate cyclase to, effect of propranolol on, 547
Equations for determination of regional blood flow in mammalian fetus, 82
Erythrocytes, effect on turbulent blood flow, *in vitro*, 341
Escape rhythm, during physostigmine-induced atrioventricular block, automaticity of, 180
— —, — — — —, site of origin of, 178
— —, response to acetylcholine, norepinephrine and atropine, and to vagal and cardiac nerve stimulation, in dog, 181
Exercise, effect on response of pulmonary arterial blood pressure to balloon occlusion, comparison with elevated left atrial pressures, in man, 325
—, haemodynamic responses to, in dog, 277

F

Fatty acids, free, blood serum, effect of 5-fluoro-nicotinyl alcohol on, 556
— —, —, — —, response to coronary occlusion in dog, 553
— —, in phospholipid and triglyceride fractions of dog heart, and effect of acidic incubation on, 239
— —, — — — — — of rat heart, 238
— —, in rat heart fractions, effect of acidic incubation on, 239
Fetus, mammalian, regional blood flow in, equations for determination of, 82
Fibrinogen, labelled, incorporation in experimental coronary artery thrombi, detection by scintillation camera, in dog, 716
Fluid volume of diluent, effect on haemodynamic responses to thyronamine, in dog 726
Fluids, body, response to adrenalectomy, and effect of saline drinking on, in rat, 272
5-Fluoro-nicotinyl alcohol, effect on responses to coronary occlusion, in dog, 554, 556
— —, serum levels following intravenous and oral administration, 555
Fourier transforms, technique for graphical display of electrode signals from thoracic surface, 691, 692, 693
Frank lead placement system, ECG, comparison with McFee-Parungao system, in infants, 141
Functional refractory period of AV junction, relationship to minimum RR interval, in dog isolated heart, 348

G

Ganglia, intramural, guinea pig atrial, distribution of, and comparison with other ganglia, 732
Genetic influence on effect of high altitude on haemodynamic responses to prostaglandin $F_2\alpha$, in cattle, 747
Glucose, effect on myocardial responses to strophanthidin, in dog, 102
—, perfusion concentration of, response of rat isolated heart contractility to, 228, 231, 232
—, — — —, response of sodium-potassium-stimulated adenosine triphosphatase activity to, 229, 231
Graft haemodynamic data, in right heart bypass, in dog, 31

H

HBFP. *See* Haematoxylin basic fuchsin picric acid stain
Haematoxylin basic fuchsin picric acid stain, diagnosis of myocardial ischaemia in human necropsy material by, 392
Haemodynamic responses, to acebutolol, comparison with other agents, 260
— —, — —, in hypertrophic cardiomyopathic patients, 253, 254
— —, to acetaldehyde, in dog, 218, 219, 221
— —, — —, effect of α- and β-adrenergic blockade on, 221
— —, to acute coronary occlusion, and effect of β-pyridyl-carbinol on, in dog, 75
— —, to adrenalectomy, and effect of saline drinking on, in rat, 271
— —, to bilateral carotid artery occlusion, effect of 15-methyl-prostaglandin E_1 on, 752
— —, — — — — —, effect of prostaglandin E_1 on, in dog, 751
— —, — — — — —, — — — — —, influence of angiotensin and vasopressin, 752
— —, to changes of preload and afterload, in dog, 365, 366
— —, to coronary occlusion, in dog, 416
— —, — — —, effect of intra-aortic balloon counterpulsation on, in dog, 405
— —, to exercise, in dog, 277
— —, — —, effect of splenectomy on, 278
— —, to experimental myocardial ischaemia, and effect of isoproterenol and epinephrine on, in dog, 316
Haemodynamic responses, to experimental myocardial ischaemia, and to intracoronary isoprenaline, 367
— —, to inferior vena caval occlusion, in conscious dog, 301
— —, to intracoronary temperature, in dog, 788
— —, — — —, effect of practolol on, 789 791
— —, left ventricular, to coronary artery occlusion, in dog, 586, 595
— —, to low output state induced by experimental heart failure, in conscious dog, 93, 94
— —, to prostaglandin $F_2\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, to radioactive microspheres, in rabbit, 570
— —, to right heart bypass graft, in dog, 31
— —, to right ventricular hypertension, in dog, 613
— —, — — — —, effect of phenoxybenzamine on, 614
— —, to thoracotomy and to acute coronary artery ligation, in dog, 206
— —, to thyronamine, and effects of propranolol, reserpine phenoxybenzamine, atropine, and constant heart rate on, in dog, 726
— —, to various experimental procedures, in dog, 509
Haemorrhage, experimental, effect on coronary sinus and myocardial blood flow in dog, 530
—, —, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in cat, 509
Heart, blood flow in, effect of various experimental procedures on, 530
—, — — —, measurement by labelled krypton, and comparison with coronary sinus blood flow, in dog, 527
—, — — —, measurement by radioactive microspheres, in baboon, 481
—, — — —, relationship to end diastolic volume, in heart disease, in man, 19
—, — — —, response to coronary artery occlusion, 482, 484
—, — — —, response to experimental partial coronary occlusion, in dog, 471, 472
—, cat isolated preparations of, contractility and adenyl cyclase activity of, effect of phentolamine, noradrenaline and isoprenaline on, 244, 245
—, contractility of, response to salbutamol, 2
—, — —, — — —, comparison with response to isoprenaline, 3, 4
—, digoxin uptake by, and effect of right ventricular responses to pulmonary artery occlusion on, in dog, 703
—, dog, phospholipid and triglyceride fractions of, fatty acids and dimethyl acetals in, and effect of acidic incubation on, 239
—, electrical activity of, measurement by electrocardiogram recording of thoracic surface potentials, in man, 189
—, guinea pig isolated, contractility of, response to progesterone, 354
—, — — —, uptake of calcium by, effect of progesterone on, 359
—, metabolic and morphological responses to coronary occlusion, effect of intra-aortic ballon counterpulsation on, in dog, 406, 407
—, microsomal adenylate cyclase in, response to propranolol, and effect of propranolol on response to epinephrine, 547
—, microsomal calcium uptake and binding by, response to propranolol, and effect of isoproterenol on, 543, 545
—, monophasic action potentials of, electrode for continuous recording of, 132
—, oxidative recovery heat of, in rabbit isolated papillary muscle preparations, 663
—, oxygen uptake by, effect of changes in left ventricular volume on, in dog heart-lung preparations, 767
—, — — —, response to changes in left ventricular volume, in dog isolated heart-lung preparations, 537
—, rabbit isolated, ventricular depolarization in, effect of right bundle branch block on, 38
—, rat, effect of acidic incubation on fatty acids in, 239

Heart, rat, isolated, contractility of, response to presence of glucose in perfusion fluid, 228 231, 232
—, —, phospholipid and triglyceride fractions of fatty acids and dimethyl acetals in, 238
—, reactive hyperaemia in, response to intracoronary temperature, in dog, 790
—, response to isoproterenol, in arteriosclerotic rat, 462
—, responses to induced renal hypertension, in rat, 87
—, responses to strophanthin, and effect of inorganic phosphates on, in dog, 101
—, — — —, effect of potassium chloride and of glucose on, 102
—, responses to thyronamine, in dog, 724, 726
— beat, duration of, relationship to ventricular asynergy, 634
— —, response to carotid sinus nerve stimulation, in angina pectoris patients, 678
— bypass, right, effect on response of ventricular function to experimental myocardial ischaemia, in dog, 28
— disease, effect on magnetocardiogram, in man, 825, 827
failure, experimental congestive, influence on effect of β-receptor and cholinergic blockade on responses to nitroglycerin and inferior vena caval occlusion, in conscious dog, 155, 156
— movements, recording via oesophagus by displacement cardiograph, in baboon, 813
— overload, effect on magnetocardiogram, in man, 829
— rate, changes in, response of blood flow in pulmonary vasculature to, in dog, 334
— —, constant paced, effect on haemodynamic responses to thyronamine, in dog, 726
— —, effect of exercise on, in man, 264
— —, effect of pulmonary arterial occlusion on, in man, 326
— —, effect on blood mixing, in dog isolated left ventricle preparations, 518
— —, fibrillation threshold of, response to practolol, in dog, 641
— —, increase in, effect on haemodynamic responses to thyronamine, 727
— —, paced, effect on minimum RR interval, relationship to functional refractory period of AV junction, in dog isolated heart, 348
— —, rabbit isolated atrial, effect of adrenaline on, 447
— —, — — —, effect of temperature on, 445
— —, relationship to changes in left ventricular volume, in dog heart-lung preparations, 767
— —, response to acebutolol, in hypertrophic cardiomyopathic patients, 253, 254
— —, response to acetaldehyde, in dog, 218
— —, — — —, effect of α- and β-adrenergic blockade on, 221
— —, response to acetylcholine, effect of pentobarbitone on, and influence of various anaesthetics and of atropine, 50
— —, response to acute coronary occlusion, and effect of β-pyridyl-carbinol on, in dog, 75
— —, response to adrenalectomy, and effect of saline drinking on, in rat, 271
— —, response to atropine and propranolol, effect of exercise on, 265
— —, response to bilateral carotid artery occlusion, effect of prostaglandin E_1 on, in dog, 751
— —, response to changes in left ventricular volume, in dog isolated heart-lung preparations, 537
— —, response to coronary occlusion, in dog, 416, 553
— —, — — — —, effect of 5-fluoro-nicotinyl alcohol on, 554
— —, response to epinephrine, effect of deoxycorticosterone acetate on, in rat, 781
— —, response to exercise, in dog, 277
— —, — — —, effect of splenectomy on, 278
— —, response to experimental myocardial ischaemia, and effect of isoproterenol and epinephrine on, in dog, 316
— —, response to inferior vena caval occlusion, in conscious dog, 301
— —, response to intracoronary temperature, in dog, 788
Heart rate, response to isoproterenol, influence of deoxycorticosterone acetate on, in rat, 776, 777
— —, — — — and epinephrine, effect of deoxycorticosterone acetate on, influence of tolazoline 782
— —, response to leakage current, effect of catheter location on, in dog, 771
— —, response to low output state induced by experimental heart failure, in conscious dog, 93, 94
— —, response to nitroglycerin and inferior vena caval occlusion, and effect of β-receptor blockade on, in conscious dog, 154, 155
— —, — — — — — — — —, effect of cholinergic blockade on, 155
— —, — — — — — — — —, influence of experimental congestive heart failure, 156
— —, response to pentobarbitone, and effect of chloralose plus phencyclidine anaesthesia on, in dog, 47
— —, — — —, effect of ketamine and pentobarbitone anaesthesia on, 49
— —, response to physostigmine, 174, 178, 180
— —, response to prostaglandin $F_2\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, response to right stellate stimulation, effect of pentobarbitone on, and influence of route of administration, 51
— —, response to right ventricular hypertension, in dog, 613
— —, response to salbutamol, in dog, 2
— —, response to stellate ganglion stimulation, effect on induction of ventricular fibrillation, in dog, 604
— —, response to thoracotomy and to acute coronary artery ligation, in dog, 206
— —, response to various experimental procedures, in dog, 509
— transplants, mouse fetal, rejection response to, 145
— valve action, hydraulic isolated ventricle for study of, 562
Heat coefficient, isometric, effect of metabolic substrate on, in rabbit isolated papillary muscle preparations, 662
— production, in rabbit isolated papillary muscle preparations, effect of metabolic substrate on, 658
— —, recovery, in rabbit isolated papillary muscle preparations, effect of metabolic substrate on, 663
His bundle electrograms, response to physostigmine of, in dog, 178
Hydraulically actuated isolated ventricle, 562
Hydrocortisone, influence on response of heart rate to isoproterenol, in rat, 779
Hyperaemia, myocardial interactive, response to intracoronary temperature, in dog, 790
—, post-escape, response to arteriolar constriction, in capillaron model, 398
—, reactive, response to occlusion of right heart bypass graft, in dog, 31
Hyperosmolar agents, responses of cat isolated papillary muscle to, 14, 15
Hypertension, induced renal, myocardial responses to, in rat, 87
Hypertrophic cardiomyopathy, effect on magnetocardiogram in man, 830
Hypertrophy, ventricular, induction by banding of suprarenal abdominal aorta, in rat, 802
Hypophysis, distribution of vertebral and carotid arterial blood in, in cat and dog, 69

I

Immune response to mouse fetal heart transplants, 145
Indicator-dilution curves, catheter-induced distortions of, correction of, 430–438
Infarction, myocardial, diagnosis by haematoxylin basic fuchsin picric acid stain on necropsy material, in man, 392
—, —, effect on magnetocardiogram, in man, 830

Infarction, myocardial, experimental, effect of intra-aortic balloon counterpulsation on responses to, in dog, 405
—, —, —, haemodynamic and electrocardiogram responses to, in dog, 206
—, —, —, induction by isoproterenol, in arteriosclerotic rat, 462
—, —, —, left ventricular haemodynamic responses to, in dog, 586
—, —, —, metabolic responses of blood to, 207, 209
—, —, —, response of left ventricular blood flow to, and relationship to diastolic stiffness and relaxation, 589
—, —, —, response of left ventricular diastolic stiffness and relaxation ability to, 587
—, —, —, response of myocardial blood flow to, in baboon, 482, 484
Instruments and techniques, 132–152, 283–295, 430–442, 562–581, 707–714, 815–834
Intestine, small, vasculature of, response to intravenous norepinephrine, relationship of local and systemic regulation, in cat, 499, 501
Intra-aortic balloon counterpulsation, effect on responses to coronary occlusion, in dog, 405
Ischaemia, left anterior descending coronary arterial, response of systolic and diastolic pressures to, in dog, 625
—, myocardial, diagnosis by haematoxylin basic fuchsin picric acid stain on necropsy material, in man, 392
—, —, experimental, effect of intra-aortic balloon counterpulsation on, in dog, 406
—, —, —, haemodynamic responses to, in dog, 367
—, —, —, — — —, and effect of β-pyridyl-carbinol on, in dog, 75
—, —, —, response of left ventricular contractility to, and effect of isoproterenol and epinephrine on, in dog, 316
—, —, —, response of myocardial blood flow to, in dog, 471, 472
—, —, —, response of systemic and left ventricular blood pressure to, in dog, 595
—, —, —, response to, in dog, 28
Isopotential maps of thoracic surface electrocardiograms, in man, 688
Isoprenaline, cardiovascular responses to, comparison with salbutamol, and effect of route of administration on, in dog, 3, 4
—, effect on contractility and adenyl cyclase activity of cat isolated heart preparations, 245
—, effect on haemodynamic responses to acebutalol, 253
—, intracoronary, haemodynamic responses to, in dog, 367
Isoproterenol, effect on coronary sinus and myocardial blood flow, in dog, 530
—, effect on response of left ventricular contractility to experimental myocardial ischaemia, in dog, 316
—, effect on response of microsomal calcium uptake and binding to propranolol, 545
—, effect on retrograde coronary blood flow, in dog, 628
—, heart damage induced by, in arteriosclerotic rat, 462
—, response of femoral blood flow to, and effect of α- and β-adrenergic blockade on, in dog, 425, 426
—, response of heart rate to, effect of deoxycorticosterone acetate on, in rat, 776
—, — — — — —, — — — — —, influence of tolazoline, 782
—, — — — — —, effect of hydrocortisone on, 779
—, response of left ventricular contractility to, index of, in conscious dog, 305
—, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in cat, 509

K

Ketamine, anaesthesia induced by, effect on response of heart rate to pentobarbitone, in dog, 49
Kidney, hypertension in, influence on effect of SQ20858 on response to vasoactive agents, in rabbit, 682
—, induced hypertension in, myocardial responses to, in rat, 87

L

Lactate, heart, response to coronary occlusion, and effect of intra-aortic balloon counterpulsation on, in dog, 406, 407
Leakage current induction of ventricular fibrillation by, effect of catheter location on, in dog, 771
Lipid hydrolysis, myocardial, effect of acidic incubation on, 238–240
Lipolysis, drug-induced inhibition of, effect on haemodynamic responses to acute coronary occlusion, in dog, 75
Lung, blood volume and flow in, double dye injection determination of, during rest, 124
—, — — — — —, — — — — —, validation of, in dog, 114, 116
—, — — — — —, effect of exercise on, and correlation with other variables, 128
—, physiological response to pulmonary artery cuffs, in sheep and pony, 799
— artery, blood flow in, measurement by Doppler probes and dye dilution, in sheep and pony, 798
— —, blood pressure in, response to balloon occlusion of, and effect of exercise on, comparison with elevated left atrial pressures, in man, 324
— —, — — —, response to prostaglandin $F_2\alpha$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, — — —, response to various experimental procedures, 509
— —, occlusion of, right ventricular responses to, and effect on uptake of digoxin, 703
— —, total occlusion of, chronically-implanted cuff for, in dog, 439–442
— vasculature, blood flow in, and response to phenylephrine in dog, 333

M

McFee-Parungao lead placement system, comparison with Frank system, in infants, 141
Magnetocardiogram, comparison to electrocardiogram, and effect of cardiac disorders on, in man, 824, 827
—, simultaneous recording with electrocardiogram, 822
— morphology, 825
Magnetometer, use for magnetocardiography, 822
Mannitol, effect on response of cat isolated papillary muscles to variations in oxygen level, 10
—, — — — — — — — — — — — —, influence of time of administration on, 13
Metabolic response to coronary occlusion, effect of intra-aortic balloon counterpulsation on, in dog, 406, 407
15-Methyl-prostaglandin E_1, effect on haemodynamic responses to bilateral carotid artery occlusion, in dog, 752
Microsomal adenylate cyclase, response to propranolol, and effect of propranolol on response to epinephrine, 547
— calcium uptake and binding, response to propranolol, 543
Microspheres, radioactive, effect of size on distribution of, 572, 574
—, —, haemodynamic and behavioural responses to, 576
—, —, measurement of cardiac output distribution by, in rabbit, 570
—, —, measurement of coronary blood flow by, 418
—, —, measurement of myocardial blood flow by, in baboon, 481
—, —, physical properties of, 571

Microspheres, radioactive, use in tracing vertebral and carotid arterial blood distribution in brain, in cat and dog, 68
—, —, use with equations for determination of regional blood flow in mammalian fetus, 82
Mitral inflow, and effect on blood mixing in dog isolated left ventricle preparations, 518
Movement artefacts, in electrocardiogram monitoring, electrode-amplifier suppressor for, 149
Muscle, blood flow in, response to atropine and propranolol, and effect of exercise on, in man, 264
—, papillary, cat isolated, performance of, effect of phentolamine and noradrenaline on, 244
—, —, — —, range of osmolality of, 14
—, —, — —, response to oxygen level, effect of mannitol on, 10
—, —, — —, — — — —, — — — —, influence of time of administration, 13
—, —, guinea pig isolated heart, response to progesterone, 354
—, —, — — — —, uptake of calcium by, effect of progesterone on, 359
—, —, mechanical performance of, effect of caffeine on, 163, 165, 169
—, —, rabbit isolated preparations, isometric contractions in, amplitude and duration of, effect of metabolic substrate on, 659
—, —, — — —, resting and isometric contraction-induced heat production of, effect of metabolic substrate on, 658
—, —, response to paired stimulation, effect of caffeine on, 166
—, skeletal, uptake of digoxin by, in dog, 703
— refractory periods, atrial, response to stellate ganglion stimulation, 650
— — —, —, response to vagosympathetic trunk stimulation, regional variations of, in dog, 649

N

Nephrectomy, unilateral, effect on response of blood pressure to deoxycorticosterone acetate, in rat, 807, 808
Nerve, carotid sinus, stimulation of, response of blood pressure and R-R interval to, in angina pectoris patients, 678
Nitroglycerine, effect on retrograde coronary blood flow, in dog, 628
—, response of blood pressure and heart rate to, and effect of β-receptor blockade on, in conscious dog, 154, 155
—, — — — — — — — —, effect of β-receptor and cholinergic blockade on, influence of experimental congestive heart failure, 156
—, — — — — — — — —, effect of cholinergic blockade on, 155
Noradrenaline, effect on contractility and adenyl cyclase activity of cat isolated heart preparations, 244, 245
—, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in cat, 509
Norepinephrine, effect on coronary sinus and myocardial blood flow, in dog, 530
—, effect on physostigmine-induced atrioventricular block, in dog, 181
—, intravenous, response of intestinal vasculature to, relationship of local and systemic regulation, in cat, 499, 501
—, response of femoral blood flow to, and effect of adrenergic blockade on, in dog, 424, 426

O

Oesophagus, displacement cardiograph in, recording of heart movements by, in baboon, 813
Osmolality, range through which mannitol is effective, 14
Ouabain, effect on response of sodium-potassium-stimulated adenosine triphosphatase activity of rat isolated heart to substrate depletion, 231
Oxygen, heart, arteriovenous difference of, response, to right ventricular hypertension, in dog, 617
—, myocardial uptake of, response to changes in left ventricular volume, in dog heart-lung preparations, 767
—, response of cat isolated papillary muscles to level of, effect of mannitol on, 10
—, — — — — — — — — —, — — — —, influence of time of administration, 13
— consumption, myocardial, response to acute coronary artery ligation, in dog, 207, 209
— —, —, response to changes in left ventricle volume, in dog isolated heart-lung preparations, 537
— —, —, response to thoracotomy, 206
— —, response to coronary occlusion, effect of intra-aortic balloon counterpulsation on, in dog, 406
— —, response to pulmonary arterial occlusion, in man, 326

P

Pacing, atrioventricular, sequential, sextapolar catheter electrode for, in man, 713
—, effect on coronary sinus and myocardial blood flow, in dog, 530
—, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in dog, 509
—, ventricular, constant, effect on haemodynamic responses to thyronamine, in dog, 726
Parasympathetic blockade, effect on haemodynamic responses to thyronamine, in dog, 726
Pentobarbitone, anaesthesia induced by, effect on response of heart rate to pentobarbitone, in dog, 49
—, effect on response of heart rate to acetylcholine, and influence of various anaesthetics and of atropine, 50
—, — — — — — — to right stellate stimulation, and influence of route of administration, 51
—, response of atrioventricular automaticity to, 54
—, response of atrioventricular conduction to, and effect of route of administration on, 52
—, response of heart rate to, and effect of chloralose plus phencyclidine anaesthesia on, in dog, 47
Peptide converting enzyme inhibitor (SQ20858), effect on responses to vasoactive agents, and influence of renal hypertension on, in rabbit, 682
Phencyclidine, plus chloralose, anaesthesia induced by, influence on effect of pentobarbitone on heart rate, in dog 47
Phenoxybenzamine, effect on haemodynamic responses to acetaldehyde, in dog, 221
—, effect on haemodynamic responses to thyronamine, in dog, 726
—, effect on response of coronary blood flow to right ventricular hypertension, in dog, 614
Phentolamine, effect on contractility and adenyl cyclase activity of cat isolated heart preparations, 244, 245
Phenylalanine, labelled, protein uptake of, in rat isolated heart preparations, 669, 671
Phenylephrine, response of femoral blood flow to, and effect of α- and β-adrenergic blockade on, in dog, 425, 426
—, response of pulmonary blood flow in to, in dog, 334
Phosphates, inorganic, effect on myocardial responses to strophanthin, in dog, 101
Phospholipids, in dog heart fraction, and effect of acidic incubation on, 239
—, in rat heart fraction, fatty acids and dimethyl acetals in 238

Phospholipids, in rat and dog heart fractions, effect of acidic incubation on, 240
Phosphorus, in phospholipid fraction of rat heart, 240
Physostigmine, responses of electrocardiogram to, in dog, 174, 178
Plethysmograms, venous occlusion, device for analysis of, description and evaluation of, 817
Pleura, physiological response to pulmonary artery cuffs, in sheep and pony, 799
Polyamines, effect on protein synthesis, in rat isolated heart preparations, 669, 671
Pons/medulla, distribution of vertebral and carotid arterial blood in, in cat and dog, 70
Potassium, efflux from guinea pig isolated heart muscle, response to progesterone, 357
—, serum levels of, response to strophanthin, in dog, 104
— chloride, effect on myocardial responses to strophanthin, in dog, 102
Potentials, action, atrioventricular node, in rabbit isolated atria, 444
—, —, — —, effect of temperature on, 445
—, —, effect of temperature on, in rabbit and guinea pig isolated atria, 456
—, —, heart, monophasic, electrode for continuous recording of, 132
—, —, ionic conductance of, in rabbit and guinea pig isolated atria, 455
—, —, of various cell types, in rabbit isolated atria, 454
—, —, sinoatrial node, effect of adrenaline on, 444, 447
—, —, — —, in rabbit isolated atria, 443
—, —, — —, effect of temperature on, 445
—, membrane, guinea pig isolated heart, response to progesterone, and relationship to peak tension, 355
—, thoracic surface, electrocardiogram measurement of, in man, 189
—, — —, mapping of, in man, 691, 696
Potentiometer, tangent-wound, in device for analysis of blood flow records, description and evaluation of, 817
Practolol, effect on haemodynamic responses to intracoronary temperature, in dog, 789, 791
—, effect on ventricular response to coronary artery occlusion in dog, 642
—, response of ventricular fibrillation threshold to, in dog, 641
—, — — — — — —, duration of, 644
Progesterone, effect on contractility of guinea pig isolated heart, 354
—, response of contractility of guinea pig heart muscle to, mechanism of action of, 358
—, response of membrane potentials of guinea pig isolated heart to, and relationship to peak tension, 355
—, — — — — — — — — — —, effect of temperature on, and mechanism of action of, 357
Propranolol, effect on blood pressure and heart rate responses to nitroglycerin and inferior vena caval occlusion, in conscious dog, 154, 155
—, — — — — — — — — — — — — — —, influence of experimental congestive heart failure, 156
—, effect on haemodynamic responses to acetaldehyde, in dog, 221
—, effect on haemodynamic responses to thyronamine, in dog, 726
—, effect of microsomal adenylate cyclase, and on response to epinephrine, 547
—, effect on response to pentobarbitone and influence of catecholamine level on, in dog, 51
—, response of blood pressure to, effect of route of administration on, in cat, 489
—, — — — — —, relationship to plasma and CSF drug levels, and effect of route of administration and of repeated administration on, 492
Propranolol, response of cardiac microsomal calcium uptake and binding to, 543
—, — — — — — — — — —, comparison of optical isomers, 544
—, response of left ventricular contractility to, index of, in conscious dog, 305
—, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in cat, 509
—, responses to, effect of exercise on, in man, 264, 265
Prostaglandin E_1, effect on haemodynamic responses to bilateral carotid artery occlusion, in dog, 751
— $F_{2\alpha}$, haemodynamic responses to, and effect of high altitude on, genetic factors in, in cattle, 747
Protein, uptake of α-aminoisobutyric acid by, effect of spermine on, in rat isolated heart preparations, 672
— synthesis, cell-free, effect of polyamines on, in rat isolated heart preparations, 669, 671
Pulse contour method, estimation of stroke volume from pulmonary artery blood pressure by, in cat, 509
Putrescine, effect on protein synthesis, in rat isolated heart preparations, 669, 671
Pyr-Asn-Trp-Pro-His-Pro-Gln-Ile-Pro-Pro. *See* SQ20858
β-Pyridyl-carbinol, effect on haemodynamic responses to acute coronary occlusion, in dog, 75
Pyruvate, heart, response to coronary occlusion, and effect of intra-aortic balloon counterpulsation on, in dog, 406, 407

R

R-R interval, relationship to ejection fraction, 20
— —, relationship to end diastolic volume, in heart disease, in man, 19
β-Receptor blockade, effect on blood pressure and heart rate responses to nitroglycerin and inferior vena caval occlusion, in conscious dog, 154, 155
— —, — — — — — — — — — — — — — —, influence of experimental congestive heart failure, 156
— —, effect on haemodynamic responses to intracoronary temperature, in dog, 789, 791
Receptors, β-, response to pentobarbitone, and effect of route of administration and of various anaesthetics on, 51
—, —, response to salbutamol, comparison with isoprenaline 5
—, cholinergic, effect of pentobarbitone on, in dog, 50
Refractory period, atrial muscle, response to stellate ganglion stimulation, 650
— —, — —, response to vagosympathetic trunk stimulation, regional variations in, in dog, 649
Regulation, systemic and intestinal, response to intravenous norepinephrine, in cat, 499, 501
Relaxation, isovolumetric, left ventricular, relationship to diastolic stiffness, 588
—, —, — —, response to coronary artery occlusion, in dog, 587
Renin, responses to, effect of converting enzyme inhibitor SQ20858 on, and influence of renal hypertension on, in rabbit, 682
Reserpine, effect on haemodynamic responses to thyronamine, in dog, 726
—, influence on effect of stellate ganglion excision on response to ventricular stimulation, in dog, 607
Respiratory outflow, occlusion of, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in dog, 509
Revascularization, effect on response of myocardial contractility to experimental myocardial ischaemia, 31
—, effect on response of ventricular function to experimental myocardial ischaemia, in dog, 28

S

SQ20858 (converting enzyme inhibitor), responses to, and its effect on responses to vasoactive agents, and influence of renal hypertension on, in rabbit, 682
ST segment of electrocardiogram, response to experimental coronary occlusion, in dog, 471, 472
Salbutamol, intracoronary, cardiovascular responses to, in dog, 2
—, —, — — —, comparison with isoprenaline, and effect of route of administration on, 3, 4
Saline, intravenous, response of stroke volume to, and estimation by pulse contour method from pulmonary artery blood pressure, in dog, 509
—, oral, effect on haemodynamic responses to adrenalectomy, in rat, 271
Sarcomere length, right ventricle, response to pulmonary arterial banding, in dog, 107
Scintillation camera, use in detection of coronary artery thrombi with labelled fibrinogen, in dog, 716
Sectral. *See* Acebutolol
Serotonin, brain and spinal cord content, effect of 5,6-dihydroxytryptamine on, in rat, 808
Sinoatrial node, action potentials of, and effect of adrenaline on, in rabbit isolated atria, 443, 444
Sinus, carotid, human, extensibility of, and effect of age on, 61
—, coronary, blood flow in, measurement by thermodilution, and comparison with myocardial blood flow, in dog, 527
—, —, — — —, relationship to left ventricular mass, 709
Sodium, efflux from guinea pig isolated heart muscle, response to progesterone, 357
Sodium-potassium stimulated adenosine triphosphatase activity, in rat isolated heart, response to presence of glucose in perfusion fluid, and effect of deoxycholate or sodium-iodine on, 229, 231
Sonagraph recordings, of Doppler-shift flow probe signals, in measurement of pulmonary arterial blood flow, in sheep and pony, 798
Sonomicrometer, electronic design of, 284
Spatial characteristics of ECG, comparison of Frank and McFee-Parungao lead placement systems by, in infants, 141
Spectral analysis, in interpretation of Doppler-shift probe signals, 798
Spermidine, effect on protein synthesis, in rat isolated heart preparations, 669, 671
Spermine, effect on protein synthesis, in rat isolated heart preparations, 669, 671
—, effect on protein uptake of α-aminoisobutyric acid, in rat isolated heart preparations, 672
Splenectomy, effect on haemodynamic responses to exercise, 278
Stellate ganglion, excision of, effect on response to ventricular stimulation, and influence of reserpine, 606
— — stimulation, effect on atrial muscle refractory periods, and on atrioventricular nodal conduction, in dog, 650
— — —, effect on response to ventricular stimulation, in dog, 604
— — —, extrasysolic responses to, relationship to induction of ventricular fibrillation, 607
— — —, response of blood pressure to, and influence on induction of ventricular fibrillation, 606
Stenosis, pulmonary, right ventricular responses to, and effect on uptake of digoxin, 703
Stiffness, diastolic, left ventricular, relationship to relaxation ability, 588
—, —, — —, response to coronary artery occlusion, in dog, 587
Stroke volume, effect on blood mixing, in dog, isolated left ventricle preparations, 518
— —, relationship to changes in left ventricular volume, in dog heart-lung preparations, 767
Stroke volume, relationship to left ventricular end diastolic pressure, response to inferior vena caval occlusion, in conscious dog, 301
— —, response to various experimental procedures, and estimation by pulse contour method from pulmonary artery blood pressure, in dog, 509
Strophanthin, myocardial responses to, and effect of inorganic phosphates on, in dog, 101
—, — — —, effect of potassium chloride and of glucose on, 102
—, response of serum calcium and potassium levels to, 104
Substrate, metabolic, effect on isometric heat coefficient of rabbit isolated papillary muscle preparations, 662
—, —, effect on resting and isometric contraction-induced heat production, in rabbit isolated papillary muscle preparations, 658
— depletion, effect on contractility of rat isolated heart, 228, 231, 232
— —, response of sodium-potassium-stimulated adenosine triphosphatase activity to, in rat isolated heart, 229
— —, — — — — — — —, effect of ouabain and calcium on, 231
Sympathetic blockade, effect on haemodynamic responses to thyronamine, in dog, 726
— stimulation, response of blood pressure to, and effect on induction of ventricular fibrillation, in dog, 606
β-Sympatholytic agents, effect on ventricular fibrillation threshold, 644
Sympathomimetic effects of acebutolol, 253, 257
Synapses, intramural ganglionic, in guinea pig atria, 735

T

Temperature, effect on heart rate and action potentials, in rabbit and guinea pig isolated atria, 456
—, effect on response of membrane potentials and contractility of guinea pig isolated heart to progesterone, 357
—, effect on sinoatrial node and atrioventricular node action potentials, and on heart rate, in rabbit isolated atria, 445
—, intracoronary, haemodynamic response to, in dog, 788
—, —, — — —, effect of practolol on, 789, 791
—, —, response of vascular diameter to, in dog, 789
Thalamus/hypothalamus, distribution of vertebral and carotid arterial blood in, in cat and dog, 69
Thermistor probe for measurement of blood temperature, 566
Thermodilution measurement, of blood mixing, in dog isolated left ventricle preparations, 518
— —, of coronary blood flow in estimation of left ventricular mass, 709
Thoracotomy, haemodynamic responses to, in dog, 206
Thorax, surface electrical activity of, measurement by electrocardiogram, 189
—, surface electrode placements on, for electrocardiographic mapping, in man, 688, 694, 698
Threshold current for induction of ventricular fibrillation, effect of catheter placement on, in dog, 772, 773
Thrombus, coronary artery, experimental, labelled fibrinogen in, detection by scintillation camera, in dog, 716
Thymidine, intraperitoneal, determination of myocardial DNA synthesis by, in rat, 89
Thyronamine, cardiovascular responses to, in dog, 724, 726
—, effect on central nervous system, in dog, 727
—, haemodynamic responses to, and effects of propranolol, reserpine, phenoxybenzamine, atropine and constant heart rate on, in dog, 726
Tolazoline, influence on effect of deoxycorticosterone acetate on response of heart rate to isoproterenol and epinephrine, in rat, 782
Transducer, miniature pressure sensitive, implantable, 290
—, ultrasonic, use in sonomicrometer, 284
Transistor, pressure sensitive, implantable, 290
Transplants, mouse fetal heart, rejection response to, 145

Triglycerides, in dog heart fractions, fatty acids and dimethyl acetals in, and effect of acidic incubation on, 239
—, in rat heart fractions, fatty acids and dimethyl acetals in, 238
Turbulent blood flow, *in vitro*, effect of erythrocytes on, 341

U

Ultrasonic measurement of internal ventricular diameter, 287

V

Vagal stimulation, effect on physostigmine-induced atrioventricular block, in dog, 181
Vagosympathetic trunk stimulation, effect on atrial muscle refractory periods, regional variations of, in dog, 649
Valve cusps, human aortic, elasticity of, and effects of pressure changes and age on, 387
Vascular diameter, response to intracoronary temperature, in dog, 789
— impedance, pulmonary, response to various experimental procedures, in cat, 509
— resistance, coronary, response to intracoronary temperature, and effect of practolol on, in dog, 791
— —, iliac and superior mesenteric arterial, in spontaneously hypertensive rat, 760
— —, peripheral, response to β-pyridyl-carbinol, in dog, 75
— —, response to coronary occlusion, in dog, 421
— —, response to experimental myocardial ischaemia, and effect of isoproterenol and epinephrine on, in dog, 316
— —, response to prostaglandin $F_{2\alpha}$, and effect of high altitude on, genetic factors in, in cattle, 747
— —, response to thyronamine, in dog, 724, 726
Vasculature, intestinal, response to intravenous norepinephrine, relationship of local and systemic regulation, in cat, 499
—, pulmonary, blood flow in, and response to phenylephrine, in dog, 333
Vasoconstriction responses, regional, to low output state induced by experimental heart failure, in conscious dog, 93, 96
Vasomotor responses, to intracoronary temperature, in dog, 790
Vasopressin, influence on effect of prostaglandin E_1 on haemodynamic responses to bilateral carotid artery occlusion, in dog, 752
Vectorcardiographic loops, in rabbit isolated heart, effect of right bundle branch block on, 41
Vein, pulmonary, blood flow in, and response to phenylephrine, in dog, 333
Vena cava, inferior, occlusion of, haemodynamic responses to, in conscious dog, 301
— —, —, — —, — — — — — — — — —, and effect of β-receptor blockade on, in conscious dog, 154, 155
— —, —, — —, — — — — — — — — —, effect of β-receptor and cholinergic blockade on, influence of experimental congestive heart failure, 156
— —, —, — —, — — — — — — — — —, effect of cholinergic blockade on, 155
— —, —, — —, response of left ventricular contractility to, 302
Ventricle, dog isolated, hydraulic actuation of, 562
—, electrical stimulation of, effect of stellate ganglion stimulation on, in dog, 604
—, left, blood pressure and mechanical performance of, response to coronary artery occlusion, in dog, 595
—, —, changes in volume of, cardiovascular responses to, in dog heart-lung preparations, 537, 767
—, —, circumferential fibre shortening in, relationship to end diastolic volume, in heart disease, in man 20
—, —, contractility of, indices of, and effect of inferior vena caval occlusion on, in conscious dog, 302
Ventricle, left, contractility of, response to experimental myocardial ischaemia, and effect of isoproterenol and epinephrine on, in dog, 316
—, —, — —, response to propranolol and to isoproterenol, index of, 305
—, —, diastolic stiffness of, response to coronary artery occlusion, 587
—, —, dog isolated preparations of, blood mixing in, effect of various stroke volumes and heart rates on, 518
—, —, haemodynamic responses to coronary artery occlusion, in dog, 586
—, —, internal diameter of, measurement by tracking sonomicrometer, 287
—, —, ischaemic, tension in, effect of aortic clamping on, in dog, 598
—, —, wall thickness of, response to experimental myocardial ischaemia, 596
—, right, experimental hypertension in, cardiovascular responses to, in dog, 613
—, —, — — —, effect on coronary blood flow and on arteriovenous difference of heart oxygen, 617
—, —, response to pulmonary artery occlusion, and effect on uptake of digoxin by, in dog, 702
—, —, temporal responses to pulmonary arterial banding, in dog, 107
Ventricles, uptake of digoxin by, and effect of right ventricular responses to pulmonary artery occlusion on, in dog, 703
Ventricular asynergy, induction by coronary artery occlusion in dog, 635
— —, quantitative definition of, 632
— compliance, left, response to acebutolol in hypertrophic cardiomyopathic patients, 256
— depolarization, effect on thoracic surface potentials, in man, 191
— —, in rabbit isolated heart, effect of right bundle branch, block on, 38
— fibrillation, effect on myocardial blood flow, in baboon, 484
— —, induction by coronary artery occlusion, effect of practolol on, in dog, 642
— —, induction by isoproterenol, influence of deoxycorticosterone acetate on, in rat, 776
— —, induction by leakage current, effect of catheter location on, in dog, 771, 773
— —, response to stellate ganglion stimulation, in dog, 604
— — threshold, response to practolol, in dog, 641
— — —, to leakage current, 773
— function, left, response to intracoronary temperature, and effect of practolol on, in dog, 791
— —, response to experimental myocardial ischaemia, and effect of revascularization on, in dog, 28
— hypertrophy, induction by banding of suprarenal abdominal aorta, in rat, 802
— mass, left, calculated, comparison with actual, 709
— —, —, coronary sinus catheter for estimation of, 707
Vertebral artery, blood from, distribution in brain, in cat and dog, 68
Volume, left ventricular, response of myocardial oxygen uptake to, in dog heart-lung preparations, 767

W

Water intake, response to deoxycorticosterone acetate, in rat, 776
Weight, body, response to deoxycorticosterone acetate, in rat, 776
—, —, response to 5,6-dihydroxytryptamine, and effect of deoxycorticosterone acetate on, in rat, 808
—, heart, response to induced renal hypertension, in rat, 87
—, ventricular, relationship to body, liver and lung weights, effect of banding of suprarenal abdominal aorta on, in rat, 802